HYDRAULIC POOL CLEANERS





POOL CLEANERS

Kokido offers a variety of *Pool Cleaners* for both in-ground and above ground pools, with the goal to simplify and reduce pool maintenance workload, and maximize water quality and pool enjoyment.



Contents

Manual Handheld Cleaner	
: Boreal Manual Spa Vacuum	02
Handheld Hydraulic Cleaners	
For Low-flow Filtration Systems	
: SKOOBA	04
: SKOOBAMAX	05
: V- Trap	06
Automatic Hydraulic Cleaners	
For Low-flow Filtration Systems (Min. 32W)	
: GOVAC	10
For Filtration Systems (Min. 0.75HP)	
: DipperMax	12
Automatic Hydraulic Cleaner Assessories	
: Leaf Canisters	13

Actual product colors may vary.







Boreal Manual Spa Vacuum K738CBX/SPA

The **Boreal** manual spa vacuum is ideal for vacuuming spas.

The manually-activated cleaner vacuums up debris into an easily-removable filter cage. The transparent body around the filter cage allows one to see when it is full. It is also practical for small soft-wall above-ground pools that are not equipped with any filtration system, or to remove small debris from traditional pools.

- Hand-operated, pump-action vacuum does not require batteries or connection to a filter system.
- Includes an add-on brush nozzle, leaf skimmer, and practical wall-mounting bracket for storage.
- High-quality stainless steel filter cage.
- Packed in an attractive and compact color box.



Low-flow Filtration System

SKOOBA was designed to easily and efficiently clean small to medium above-ground pools by connecting it to the water outlet to vacuum underwater debris. It is a handheld solution that can vacuum sand, dirt, and leaves from pool bottoms. It is easy to assemble without the need for any tools. Simply attach the cleaner to the included pole and hose, connect the hose to the pool, and start vacuuming!

Ideal for Small Soft Wall Pools **SKOOBA** Pool Vacuum Kit

Complete kit including vacuum head, hose, and pole.

K535CBX/18


Features:

- Connects to water outlet and vacuums underwater debris.
- Internal filter bag collects debris such as dirt, leaves and sand before it reaches the pool filter to avoid clogging of filter.
- Convenient twist-and-lock transparent top head to easily remove debris.
- Lightweight aluminum handle enables cleaning with minimum effort.
- Easy to assemble.
- Recommended for: small-sized pools 2.4m 4.5m / 8ft 15ft
- Min. Flow Rate: 530gal/h / 2m3/h
- Min. Pump Power: 45W
- Max. Flow Rate: 1,300gal/h / 5m³/h
- Max. Pump Power: 0.5HP / 375W

Included:

- 1 cleaner
- 1 filter bag
- 1 flat nozzle with slide-in brush
- 5m / 16ft hose
- A 4-section aluminum pole extended length 178cm / 5.8ft
- Connectors compatible with most leading pool brands on the market

K535CBX/18/EU - For Europe K535CBX/18/US - For North America















Low-flow Filtration System

Ideal for Small to Medium Soft Wall Pools

SKOOBAMAX Pool Vacuum System**

Complete kit including vacuum head, hose and pole.

K563CBX/18


Features:

- Connects to water outlet and filters underwater debris.
- Internal filter bag collects debris such as dirt, leaves, and sand before it reaches the pool filter to avoid clogging of filter.
- Convenient twist-and-lock transparent top head to easily remove debris.
- Lightweight aluminum handle enables cleaning with minimum effort.
- Easy to assemble.
- Wide nozzle with rotational ball wheels for easy gliding and clip-on brushes for removal of dirt from pool bottom.
- Recommended for: medium-sized pools 2.4m 5.5m / 8ft 18ft
- Min. flow rate: 530gal/h / 2m3/h
- Min. pump power: 45W
- Max. flow rate: 1,300gal/h / 5m³/h
- Max. pump power: 0.5HP / 375W

Included:

- Connectors compatible with most leading pool brands on the market
- 6m / 19.7ft hose
- 5-section aluminum pole extended length 220cm / 7.2ft
- 1 flat nozzle with slide-in brush to clean corners
- 1 pivoting head to clean surfaces













Low-flow Filtration System

The V-Trap is a unique pool vacuum system designed specifically for cleaning medium-sized above-ground pools, round or rectangular. Debris is collected by a pre-filter cage, visible through the transparent body of the V-Trap and does not send it to the pool filter. This avoids clogging of small cartridge filters, and reduces the need for backwash of sand filters. Its weighted head and spring-loaded handle maintain good surface contact, while its swivel hose connection ensures maneuverability into any corner of the pool. The underside spiral ridges create a vortex to increase vacuuming efficiency while underside brushes remove dirt from the pool floor.



OPENING SYSTEM SIDE BRUSHES

ENABLE BRUSHING INTO CORNERS & EDGES



- V-Trap Head Features:
 The weighted head and spring-loaded handle help maintain good surface contact.
- Swivel hose cuff avoids twisting of hose.
- Underside spiral ridges create a vortex increasing vacuuming efficiency.
- Internal pre-filter catches debris before it reaches your cartridge filter.
- Transparent head to see when pre-filter cage is full.







Low-flow Filtration System

V-Trap Pool Vacuum System

K816CBX/20

Included:


- V-Trap vacuum head
- 6m / 20ft of Dia. 32mm / 11/4in flexible vacuum hose
- Lightweight aluminum handle in 6 sections measuring 240cm / 8ft when fully assembled
- Includes connectors compatible with most leading soft-wall pool brands on the market
- Recommended for: medium above-ground pools 4.5m 5.5m / 15ft 18ft
- Min. flow rate: 800gal/h / 3m3/h
- Min. pump power: 85W





Automatic Cleaners








Pre-filter avoids clogging of pump filter



Easy to install, no tools needed



- Recommended for cleaning soft wall pools up to 6m / 20ft
- Powered by your pool's filtration system.
- Requires a pump of minimum 32W (and minimum system flow rate of 800gal/h or 3.03m³/h) to function properly

PACKAGING

Size:

W76.5cm x D20.5cm x H22.5cm 30in x 8in x 8¾in



CN - ZL 2019 3 0664457.6 EU - 007311386-0001 Other patents pending



AUTOMATIC HYDRAULIC *CLEANERS*Filtration Systems (Min. 0.75HP)

Like the **Dipper** Max automatic pool cleaner is reliable and silent due to its diaphragm technology. In addition, it includes extra hose length plus a deflector ring to ensure smooth navigation around pool steps and more complex pool shapes. The **Dipper** Max is capable of climbing walls and vacuuming both the pool floor and walls.

DipperMax

K915CBX

Features:

- Membrane technology ensures silent operation with optimum cleaning efficiency.
- Lightweight design enables it to clean rapidly across the pool floor.
- The membrane system ensures a smooth passage of debris.
- Pressure regulator to adjust to ideal suction.
- Low maintenance required due to just one moving part.
- Large circular deflector to navigate around steps, ladders, and corners even in the most complex pools.
- Climbs walls.
- Recommended for: in-ground & above-ground pools up to 7.3m / 24ft (excluding soft wall pools)
- Min. system flow rate: 1,600gal/h / $6m^3/h$
- Min. pump power: 0.75HP / 560W
- Also suitable for pools with an inclined bottom

Accessories:

- Includes 9.75m / 32ft of standard hoses
- Compatible with leaf canister K918CBX (not included)



European patent no. 001820614-0001 / US patent no. D681,889











AUTOMATIC HYDRAULIC CLEANERS ACCESSORIES

Leaf Canister

Leaf Canister

K918CBX

Features:

- Connects between standard hoses of any automatic pool cleaner.
- Traps leaves, twigs, hair, pebbles, etc. before they get to the pool pump or filter.
- Reduces the need to clean the strainer basket, the skimmer, filter and pump.
- Prolongs the life of the pump and motor by preventing clogging.
- Clear plastic container allows user to see if emptying is required without having to open the canister
- Handle makes leaf canister easier to retrieve from the water.
- Lock system is sturdy, watertight, and easy to open.
- Recommended for high-powered pumps only.
- Includes connectors for use with hose male cuff of inner Ø37mm and hose female cuff of inner Ø41mm.










	Handheld Cleaners				Automatic-suction Cleaners for low-flow pumps	
* Min. Pump Power	Manual Operation	45W		85W	32W	0.75HP pump
* Min. System Flow rate		2m³/h / 530gal/h		3m³/h / 800gal/h	3m³/h / 800gal/h	6m³/h / 1,600gal/h
Product	K738	K535/18	K563/18	K816	AC55	K915
	MANO VAC	SKOOBA	SKOOBAMAX	V-Trap	GOVAC	Dipper Max
Recommended Use	Spas,	Small to medium pools	Small to medium pools	Medium pools	Medium pools	Medium to large pools
From Up to	small pools & spot-cleaning	244cm / 8ft 457cm / 15ft	244cm / 8ft 549cm / 18ft	457cm / 15ft 549cm / 18ft	600cm / 20ft	732cm / 24ft
Cleans Walls						•
Pool Bottom	Any	Any	Any	Any	Flat	Sloped
AG Soft-wall Pool	•	•	•	•	•	
AG Rigid-wall Pool	•			•	•	•
In-ground Pool	•					•
Length	Product length 158cm / 5ft	Hose length 5m / 16ft Pole length 178cm / 5.8ft	Hose length 6m / 20ft Pole length 220cm / 7.2ft	Hose length 6m / 20ft Pole length 240cm / 8ft	Hose length 6.8m / 22.3ft	Hose length 9.75m / 32ft
Туре					Diaphragm	Diaphragm
Filter	Stainless steel filter cone	Internal filter bag	Internal filter bag	Internal rigid filter 0.6L / 0.15gal	Internal filter 0.378L / 0.1gal	Compatible with Leaf canister K918CBX (sold separately)
Key features	- Hand-operated, pump-action vacuum does not require batteries or connection to a filter system - Includes an add-on brush nozzle, leaf skimmer, and practical wall-mounting bracket for storage	- Easy set-up - Connectors compatible with most soft wall pools of leading brands on the market	- Easy set-up - Connectors compatible with most soft wall pools of leading brands on the market - 2 interchangeable heads: 1 nozzle + 1 pivoting head	- Connectors compatible with most soft wall pools of leading brands on the market - Underside brushes & rollerball wheels - Transparent head to see when full - Swivel hose cuff	- Easy set-up - Connectors compatible with most leading soft wall pool brands on the market - Integrated filter to avoid clogging the pool filter - High filter capacity - Float & weight for optimum maneuverability - Silent operation with diaphragm technology	- Low maintenance - Silent operation with diaphragm technology - Pressure regulator to adjust to ideal suction - Large deflector to navigate around obstacles

^{*} For a cleaner to function correctly both minimum pump power and minimum system flow rate are required.





HONG KONG KOKIDO DEVELOPMENT LTD. Tel: +852 2342 3008 Fax: +852 2797 2625 website: www.kokido.com