

POOL *ENVIRONMENT*

2025

 **KOKIDO**[®]
BY  **BWT**

POOL ENVIRONMENT

Kokido's *Pool Environment* category offers products designed especially for pool use.



Contents

<i>Cover Reels & Sets</i>	
Cover Reel Motorizer Add-On Unit	02
Motorizer & Alux Cover Reel Set.....	04
Aluminum Cover Reels	09
Aluminum Cover Reels & Tube Sets	11
Resin Cover Reels	12
<i>Pool Lighting</i>	
PAR56 Replacement Lightbulbs	13
<i>Fountains & Footbaths</i>	
Fountains	14
Footbaths	16
<i>Solar Energy</i>	
Heaters	17
Heater Accessories	18
<i>Around the Pool</i>	
Protector Mat	19
Ring Buoy & Rope Floats	20

Actual product colors may vary.

SOLAR COVER



HANDLING


MADE EASY

CR50

CORDLESS RECHARGEABLE MOTORIZED ADD-ON UNIT

CR50CBX/23/EU EU/US CR50CBX/23/US

USER-FRIENDLY & WATER-RESISTANT (IPX4)



Compatible with cover reels of other brands




TRANSFORM YOUR COVER REEL WITH AN ELECTRIC MOTOR

COMPATIBILITY

Recommended for pools up to 6x12m (20x40ft)

Compatible with both **U-shaped** and **T-shaped** cover reel frames



T-shaped cover reel frames
Required dimensions



U-shaped cover reel frames
Required dimensions

Easy to assemble

CR50 + CR43

MOTORIZER & ALUX IN-GROUND COVER REEL SET

CR50+CR43BX/EU EU/US CR50+CR43BX/US

Recommended for pools up to
5x14m (18x46ft)

Includes strong 3x215cm, 98mm (3.9in)
diameter tube set and elastic strap set
for attachment on solar cover

Strong aluminum frame
resistant to corrosion



Wind and unwind
within 4 minutes*



Charging time

PACKAGING



COVER REELS & **SETS**

Stainless Steel Cover Reels



Thor Deluxe

3D Stainless Steel Cover Reel

K949/DLX

- Unique frame design for increased stability.
- Large ergonomic crank wheel design with a honey-comb construction for increased rigidity.
- Extra-large treaded wheels with ball bearings for easy manoeuvring.
- Strong and durable 304 grade stainless steel construction.
- Includes straps with connectors for easy assembly on grooved tubes and attachment on solar cover.

Dimensions:

- 4cm / 1⁵/₈in frame tube diameter
- 59 x 72cm / 22.5 x 28in to the top of the crank wheel

K949BX/DLX/80 - To fit Ø80mm / 3¹/₄in tube set : includes 8 straps

K949BX/DLX/98 - To fit Ø98mm / 3⁷/₈in tube set : includes 10 straps

Recommended cover reel plus tube sets:

*** For pools up to 5m / 18ft**

K949+465BX/DLX

Grooved Tube - 3 x 215cm, Ø80mm tube set

Max. tube span: 5.55m / 18ft2in - includes 8 straps

K949+480BX/DLX

Grooved Tube - 5 x 150cm, Ø80mm tube set


Max. tube span: 5.7m / 18ft8in - includes 8 straps

*** For pools up to 6m / 20ft**

K949+444BX/DLX

Grooved Tube - 3 x 245cm, Ø98mm tube set

Max. tube span: 6.45m / 21ft2in - includes 10 straps



COVER REELS & **SETS**

Stainless Steel Cover Reels



Presto

Presto Stainless Steel Cover Reel

K826BX/80 - To fit Ø80mm / 3¼in tube set : includes 8 straps

K826BX/98 - To fit Ø98mm / 3¾in tube set : includes 10 straps

- The Presto is the ultimate user-friendly cover reel due to its unique gear reduction system that reduces required effort by up to 50%.
- Solid aluminum axles and new crank attachment for easy assembly and increased stability.
- Nylon & fiberglass hubs provide additional strength and durability.
- Lightweight nylon gears ensure smooth and quiet operation.
- Strong and durable 304 grade stainless steel construction.

Other highlights:

- Wheels with large treaded tires ensure easy maneuvering.
- Ergonomically-shaped blocking knob and stylish crank wheel made in dual material provides comfortable handling.
- Includes straps with connectors for easy assembly on grooved tubes and clips for attachment on solar cover.

Recommended cover reel plus tube sets:

*** For pools up to 5m / 18ft**

K826+465BX

Grooved Tube - 3 x 215cm, Ø80mm tube set
Max. tube span: 5.55m / 18ft2in - includes 8 straps

K826+480BX

Grooved Tube - 5 x 150cm, Ø80mm tube set
Max. tube span: 5.7m / 18ft8in - includes 8 straps


*** For pools up to 6m / 20ft**

K826+444BX

Grooved Tube - 3 x 245cm, Ø98mm tube set
Max. tube span: 6.45m / 21ft2in - includes 10 straps



Cover Reel Dimensions:



European patent no. 001543133-0001
China patent no. ZL 2009 3 0192425.7



COVER REELS & **SETS**

Stainless Steel Cover Reels



Round Profile T-shaped Stainless Steel Cover Reel

K470BX/80 - To fit Ø80mm / 3¼in tube set : includes 8 straps

K470BX/98 - To fit Ø98mm / 3¾in tube set : includes 10 straps

- Solid aluminum axles and new crank attachment for easy assembly and increased stability.
- Nylon & fiberglass hubs provide additional strength and durability.
- Strong and durable 304 grade stainless steel construction.

Other highlights:

- Wheels with large treaded tires ensure easy maneuvering.
- Ergonomically-shaped blocking knob and stylish crank wheel made in dual material provide comfortable handling.
- Includes straps with connectors for easy assembly on grooved tubes and clips for attachment on solar cover.

Recommended cover reel plus tube sets:

*** For pools up to 5m / 18ft**

K470+465BX

Grooved Tube - 3 x 215cm, Ø80mm tube set

Max. tube span: 5.55m / 18ft2in - includes 8 straps

K470+480BX

Grooved Tube - 5 x 150cm, Ø80mm tube set


Max. tube span: 5.7m / 18ft8in - includes 8 straps

*** For pools up to 6m / 20ft**

K470+444BX

Grooved Tube - 3 x 245cm, Ø98mm tube set

Max. tube span: 6.45m / 21ft2in - includes 10 straps



European patent no. 001543133-0001 / China patent no. ZL 2009 3 0192425.7

COVER REELS & **SETS**

Aluminum Cover Reels



Kalu

Aluminum T-Frame Cover Reel

- Strong but lightweight aluminum frame resistant to corrosion.
- Large crank wheel for easy handling.
- Includes 5-section 80mm diameter tube set, all-in-one compact box for shipping and display.
- Tubes available in 2 different lengths of grooveless or grooved tube type.
- Heavy-duty wheels with large treaded tires ensure easy maneuvering.
- Includes 8 straps with connectors for attachment on solar cover.

**INCLUDES
TUBE SET**

Dimensions:

- 4cm / 1.6in frame tube diameter
- L48 x H63cm / L20 x H20½in to the top of the crank wheel

* Recommended for pools up to 5m / 18ft

- 5 tube section of 150cm / 4ft11in
- Max. tube span: 5.7m / 18ft8in

K936WBX/150 - Grooveless tube set


K936WBX/150/GRVD - Grooved tube set

* Recommended for pools up to 6m / 20ft

- 5 tube section of 165cm / 5ft5in
- Max. tube span: 6.45m / 21ft2in

K936WBX/165 - Grooveless tube set

K936WBX/165/GRVD - Grooved tube set



COVER REELS & **SETS**

Aluminum Cover Reels



Alux Presto

K946 - Deluxe Aluminum T-Frame Cover Reel with Presto

- Alux cover reel with presto gear reduction system.
- The Presto reel is the ultimate user-friendly cover reel due to its unique gear reduction system that reduces required effort by up to 50%.
- Includes straps with connectors for attachment on solar cover.

Dimensions:

- 5cm / 2in frame tube diameter
- L55 x H76cm / L21½ x H30in to the top of the crank wheel

K946BX/80 - To fit Ø80mm / 3¼in tube set : includes 8 straps

K946BX/98 - To fit Ø98mm / 3¾in tube set : includes 10 straps

Recommended cover reel plus tube sets:

*** For pools up to 5m / 18ft**

K946+465BX

Grooved Tube - 3 x 215cm, Ø80mm tube set
Max. tube span: 5.55m / 18ft2in - includes 8 straps


K946+480BX

Grooved Tube - 5 x 150cm, Ø80mm tube set
Max. tube span: 5.7m / 18ft8in - includes 8 straps

*** For pools up to 6m / 20ft**

K946+444BX

Grooved Tube - 3 x 245cm, Ø98mm tube set
Max. tube span: 6.45m / 21ft2in - includes 10 straps



European patent no. 001 543 133-0001
China patent no. ZL 2009 3 0192425.7

COVER REELS & **SETS**

Aluminum Cover Reels

Alux

K943 - Deluxe Aluminum T-Frame Cover Reel

- Strong but lightweight aluminum frame resistant to corrosion.
 - Tight-fitting bearings ensure smooth turning with more stability.
 - Stylish crank wheel made in dual material improves handling.
 - Simple locking system immobilizes the tube set.
 - Heavy-duty wheels with large treaded tires ensure easy maneuvering.
 - Ergonomically-shaped blocking knob.
 - Includes straps with connectors for attachment on solar cover.
- (Tube set not included)

Dimensions:

- 5cm / 2in frame tube diameter
- L54.5 x H63.5cm / L22 x H25in to the top of the crank wheel

K943BX/80 - To fit Ø80mm / 3¼in tube set : includes 8 straps

K943BX/98 - To fit Ø98mm / 3¾in tube set : includes 10 straps

Recommended cover reel plus tube sets:

*** For pools up to 5m / 18ft**

K943+465BX

Grooved Tube - 3 x 215cm, Ø80mm tube set

Max. tube span: 5.55m / 18ft2in - includes 8 straps

K943+480BX

Grooved Tube - 5 x 150cm, Ø80mm tube set

Max. tube span: 5.7m / 18ft8in - includes 8 straps

*** For pools up to 6m / 20ft**

K943+444BX


Grooved Tube - 3 x 245cm, Ø98mm tube set

Max. tube span: 6.45m / 21ft2in - includes 10 straps



European patent no. 001 543 133-0001
China patent no. ZL 2009 3 0192425.7

Cover Reel Dimensions:



Cover Reel Tube Sets



Ø80mm / 3¼in
Grooved Type



Ø80mm / 3¼in
Grooveless Type



Ø98mm / 3¾in
Grooved Type

Length of Tube Set	Tube Set Span	Ø80mm / 3¼in Grooved Type	Ø80mm / 3¼in Grooveless Type	Ø98mm / 3¾in Grooved Type
3 x 2.15m 3 x 7ft	4.50m - 5.55m 14ft - 18ft 2in	K465BX	K448BX	CR91
3 x 2.45m 3 x 8ft	4.90m - 6.45m 16ft - 21ft 2in	K466BX	K192BX	K444BX
3 x 2.70m 3 x 8ft 11in	5.40m - 7.20m 17ft 10in - 23ft 7in	K467BX	--	K475BX
3 x 3.20m 3 x 10ft 6in	6.40m - 8.70m 21ft - 28ft 6in	K468BX	K272BX	K476BX
5 x 1.50m 5 x 4ft 11in	4.5m - 5.70m 14ft - 18ft 8in	K480BX	K482BX	--
5 x 1.65m 5 x 5ft 5in	4.95m - 6.45m 16ft 3in - 21ft 2in	K481BX	K488BX	K516BX
5 x 1.85m 5 x 6ft 1in	5.55m - 7.45m 18ft 2in - 24ft 5in	K511BX	--	--
5 x 2.10m 5 x 6ft 10in	6.30m - 8.70m 20ft 8in - 28ft 6in	K477BX	--	--

COVER REELS & **SETS**

Resin Cover Reels



Solaris II Cover Reel & Tube Set

K651CBX

- Complete set includes reel and a 7pc hexagonal tube set packed in a compact and attractive color box.
- Recommended for above-ground pools up to 5.49m / 18ft wide.
- Max. tube span: 5.55m / 18ft2in
- Hexagonal tubes in aluminum alloy.
- Includes fixtures to secure on ledge of steel wall or wooden frame pools, and clamps to secure on tubular frame pools.

Also available in extended version for pools up to 7.31m / 24ft.

- Packed in white box as **K651WBX/24FT**.



POOL *LIGHTING*

PAR56 Replacement Lightbulbs

LED PAR56 Swimming Pool Lights provide a simple and inexpensive way of upgrading pool lighting to the latest illumination technology. Using either white or RGB color-changing LEDs, these lights provide the benefit of low-cost operation with low-power consumption. These replacement light bulbs fit in standard pool light fixtures using PAR56 lights.

LT40CBX/24/ABS (EU Only)

White 16W LED PAR56 Lightbulb

LED quantity: 60pcs SMD 2835 LED
Light color: White
Input Voltage: 20V DC
Power consumption: 16W
Brightness: 2500 lm
Illumination angle: 100°
(due to SMD technology)
Lifespan: Up to 25,000 hrs
Housing material: ABS
Size: Ø180mm x 70mm



LT41CBX/ABS (EU Only)

White 14W LED PAR56 Lightbulb

LED quantity: 160pcs SMD 2835 LED
Light color: White
Input Voltage: 12V DC
Power consumption: 14W
Brightness: 1,600 lm
Illumination angle: 100°
(due to SMD technology)
Lifespan: Up to 25,000 hrs
Housing material: ABS
Size: Ø176mm x 100mm



LT45CBX/ABS (EU Only)

RGB 15W LED PAR56 Lightbulb

LED quantity: 160pcs SMD 2835 LED
Light color: RGB color changing
Input Voltage: 12V AC
Power consumption: 15W
Brightness: 291 lm
Illumination angle: 104°
(due to SMD technology)
Lifespan: Up to 30,000 hrs
Housing material: ABS
Size: Ø176mm x 100mm



FOUNTAINS & *FOOTBATHS*

Fountains

Waterfall Fountain K385CBX

Connects to pool water return of inground and above-ground pools (excluding soft wall).
Water flows like a waterfall from the pool edge.
Minimum pump required: ½HP / 375W.



FOUNTAINS & *FOOTBATHS*

Fountains

Flora Fountain

K737CBX

Connects to pool water return of inground and above-ground pools, including soft-wall pools.

Attractive flower-shaped float.

Can be anchored anywhere in the pool.

Requires pump of minimum: 1/8HP / 99W.



Flower Fountain

K679CBX/2P

Connects to pool water return of inground and above-ground pools (excluding soft wall).

Water shoots from the flower at the pool edge.

Requires pump of minimum: 1/2HP / 375W.

Can be disassembled into 2 sections for compact packaging.



FOUNTAINS & *FOOTBATHS*

Footbaths

Step 'N Wash Footbath for Soft Wall Pools K672BU

Assortment of 3 colors (green, light blue & dark blue).
Fits around the base of standard A-frame tubular ladders and
secures firmly in place.
Helps prevent grass and dirt from being carried into the pool and
therefore may reduce chemical consumption and frequency of
cleaning.



China patent no. ZL 2006 3 0131902.5



Foot Shaped Footbath K522BU12

Made in molded PP for extra durability.
Helps prevent grass and dirt from being carried into the pool and
therefore may reduce chemical consumption and frequency of
cleaning.



SOLAR *ENERGY*

Heaters



Keops

Keops Solar Heater converts the sun’s energy to heat your pool water - the most ecological and cost-efficient way of doing so!

Keops features an innovative dome design that provides better heat transfer than traditional solar systems and also eliminates the need to set aside yard space for conventional solar panels. With Keops connected to your above-ground pool, you can extend your swimming season and save money on heating!

K835CBX/RV

Capacity: 4L / 1 gal
 Max. water pressure: 1.5bar / 21psi
 Dimensions: W57 x D57 x H32cm
 Heat your pool to a warm, comfortable temperature.
 Environment-friendly heating energy - FREE from the sun.
 Extend your swimming season with warm water.
 Dramatically reduces or eliminates heating costs when compared with using a gas or electrical heater.
 Installs in-line, quickly, and easily.
 Compatible with 32 / 38mm (1¼ / 1½in) pool flexible hoses.
 Additional heaters can be easily connected for larger pools.
 Includes 120cm / 4ft hoses, fittings, and stainless steel clamps.
 Integrated rack helps to set up an optimal solar angle for the heater.
 Depending on weather conditions, 1 heater is recommended per 10,000 liters of pool volume.

Pool Size Round or Rectangular	Recommended units of Keops Solar Heaters
244cm / 8ft	1
305cm / 10ft	1
366cm / 12ft	1 or 2
457cm / 15ft	2
488cm / 16ft	2
549cm / 18ft	2 or 3
732cm / 24ft (oval)	2 or 3
853cm / 28ft	3
975cm / 32ft	3



SOLAR *ENERGY*

Heater Accessories




Solar Heater Bypass Kit

K874CBX

- Recommended for use with **Keops** solar pool heater for above-ground pools.
- Allows bypass of solar heaters when they are not in use.

Includes:

- Bypass Valve
- "T" Connector
- Pressure Gauge
- 38mm / 32mm (1½in / 1¼in) Threaded Connectors
- 38mm x 180cm (1½in x 6ft) Flex Hose
- Stainless Steel Hose Clamps
- Teflon Tape



Bypass Kit

K901CBX

Recommende for installation along with heat pump - between filter and water return to pool. Allows bypass of heat pump when not in use.

Includes:

- 3-Way Valves
- Hose Connectors
- 38mm x 90cm (1½in x 3ft) Hoses
- Stainless Steel Hose Clamps




AROUND THE **POOL**

Protector Mat



Pool & Spa Floor Protector Mat MS10WBX/BLU

Designed for protection of the pool liner from contact with the soil, extending the usable life of the liner.
Protects and cushions the areas around the pool and play areas.
Made of soft and resistant material.
Extra-thick (8mm / 0.3in) for extra comfort.
Set of 9 assemblable units of 60 x 60cm
Each set covers a total area of 3.24m² / 34.9sqf
Color in Blue



Pool Size	No. of Pieces Needed	Total Surface Covered
305cm / 10ft3	6	9.3m ² / 100.1sqft
366cm / 12ft4	9	13.4m ² / 144.2sqft
457cm / 15ft6	4	20.9m ² / 225sqft
549cm / 18ft1	00	30.1m ² / 324sqft

AROUND THE **POOL**

Ring Buoy & Rope Floats

Safety Float Line K675CBX/20FT

Fits pools up to 6m / 20ft wide.
Rope length can be adjusted.
Includes 9 small floats and 2 solid
zinc alloy rope hooks.



Large Pool Float K688BU - Ø125 x 204mm



Set of 2 Safety Line Eyelets
K636BU
Chrome-plated copper.
Includes 4 stainless steel screws.



HONG KONG
KOKIDO DEVELOPMENT LTD.
Tel : +852 2342 3008
Fax : +852 2797 2625
website: www.kokido.com