



WE BRING THE
HEAT

WITH HIGH END LUXURY FIRE FEATURES



2023 - 2024 CATALOG
PANS AND BURNERS





MADE IN THE USA

BULLET BURNER



Where Design Meets Expectations!

The Bullet Burner is proudly made and patented in the US. Over the past year we have focused on making our bullet burner great. The focus is on our customers who want to experience quality fire performance. We continue to commit on delivering the most premium fire burner in the industry. The Bullet Burner has been designed for premium fire quality where performance is a must. The design features our Flat Flame Technology where you obtain - more flame, while using less gas. Explore our premium bullet burner.

FLOW OF FUEL

FLAT FLAME TECHNOLOGY

Our Patented Orifice allows for the hub to gather the perfect amount of air and fuel mixture, and safely transfer the mixture in the bullet burner tips. Our Premium orifice provides exceptional coverage ensuring that what you see is what you get.

HOW DOES IT WORK?

HEXAGONAL UNIFORM GAS FLOW GENERATOR

Our Patented hub uses the perfect air and fuel mixture, providing you with a premium fire experience. The hub allows fuel to safely build up and transfer to the dedicated Bullet Burner tips.

PRECISION

BULLET BURNER DESIGN

Our Patented Bullet Burner Tips create a premium fire experience. The tips allow for the perfect air and fuel mixture which create those beautiful realistic flames. The tips have been designed to withstand harsh weather conditions, temperatures, and can also handle high levels of impact.






TABLE OF CONTENTS

WHAT IS FLAT FLAME TECHNOLOGY

PAN & BURNER KITS

RAISED DROP IN PAN & BURNER KITS	6
DROP IN PAN & BURNER KITS	8
LIPLESS DROP IN PAN & BURNER KITS	14
FLAT PAN & BURNER KITS	16

BURNERS & BULLET BURNERS

BURNERS	24
BULLET BURNERS	28

SWEIS IGNITION SYSTEMS

SWEIS ELECTRONIC IGNITION SYSTEM	32
FIRE PIT PANEL ADD-ONS	32
SWEIS ACCESSORIES	34
SWEIS REPLACEMENT PARTS	35


SPARK IGNITION SYSTEM



OTHER ACCESSORIES & REPLACEMENT PARTS

FLAME SENSE REPLACEMENT PARTS	38
PAVER CONTROL PANEL	-
GAS KITS	-
GAS CONVERSION KITS	39
ACCESSORIES	-
GAS FITTINGS	40

HOW DO I BUILD A FIRE PIT?





RAISED DROP IN PAN & BURNER KITS

PROUDLY MADE IN THE USA

RAISED LIP PAN & BURNER KITS



At The Outdoor Plus, we offer world-class Pan & Burner systems for commercial and residential properties. **All products are proudly made and designed in the USA.**

Need Custom? Contact us at: **909.460.5579**

Learn more at:

www.theoutdoorplus.com



701 S Dupont Ave
Ontario, CA. USA 91761

Have a Question?
Give us a call: 909.460.5579



We suggest that our fire products be installed by professionals.



THE OUTDOOR PLUS

USA MANUFACTURER OF FIRE & WATER PRODUCTS

All Pans and Burners by The Outdoor Plus have been meticulously designed and manufactured to be the best most accurate Fire Performance Products in the market. All products are proudly made in the USA.



WWW.THEOUTDOORPLUS.COM





Match Lit with Flame Sense
LC Certified

Rectangular Raised Lip Pan & SS "H" Burner

Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 12"	OPT-RLRCT2412	OPT-RLRCT2412FSML	OPT-RLRCT2412FSEN	OPT-RLRCT2412E12	OPT-RLRCT2412E110
30" x 12"	OPT-RLRCT3012	OPT-RLRCT3012FSML	OPT-RLRCT3012FSEN	OPT-RLRCT3012E12	OPT-RLRCT3012E110
36" x 12"	OPT-RLRCT3612	OPT-RLRCT3612FSML	OPT-RLRCT3612FSEN	OPT-RLRCT3612E12	OPT-RLRCT3612E110
42" x 12"	OPT-RLRCT4212	OPT-RLRCT4212FSML	OPT-RLRCT4212FSEN	OPT-RLRCT4212E12	OPT-RLRCT4212E110
48" x 12"	OPT-RLRCT4812	N/A	N/A	OPT-RLRCT4812E12	OPT-RLRCT4812E110
60" x 12"	OPT-RLRCT6012	N/A	N/A	OPT-RLRCT6012E12	OPT-RLRCT6012E110
72" x 12"	OPT-RLRCT7212	N/A	N/A	OPT-RLRCT7212E12	OPT-RLRCT7212E110
84" x 12"	OPT-RLRCT8412	N/A	N/A	OPT-RLRCT8412E12	OPT-RLRCT8412E110
96" x 12"	OPT-RLRCT9612	N/A	N/A	OPT-RLRCT9612E12	OPT-RLRCT9612E110




Match Lit with Flame Sense
LC Certified

Rectangular Raised Lip Pan & SS Linear Burner

Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 8"	OPT-RLRCT248	OPT-RLRCT248FSML	OPT-RLRCT248FSEN	OPT-RLRCT248E12	OPT-RLRCT248E110
30" x 8"	OPT-RLRCT308	OPT-RLRCT308FSML	OPT-RLRCT308FSEN	OPT-RLRCT308E12	OPT-RLRCT308E110
36" x 8"	OPT-RLRCT368	OPT-RLRCT368FSML	OPT-RLRCT368FSEN	OPT-RLRCT368E12	OPT-RLRCT368E110
42" x 8"	OPT-RLRCT428	OPT-RLRCT428FSML	OPT-RLRCT428FSEN	OPT-RLRCT428E12	OPT-RLRCT428E110
48" x 8"	OPT-RLRCT488	OPT-RLRCT488FSML	OPT-RLRCT488FSEN	OPT-RLRCT488E12	OPT-RLRCT488E110
60" x 8"	OPT-RLRCT608	OPT-RLRCT608FSML	OPT-RLRCT608FSEN	OPT-RLRCT608E12	OPT-RLRCT608E110
72" x 8"	OPT-RLRCT728	OPT-RLRCT728FSML	OPT-RLRCT728FSEN	OPT-RLRCT728E12	OPT-RLRCT728E110
84" x 8"	OPT-RLRCT848	N/A	N/A	OPT-RLRCT848E12	OPT-RLRCT848E110
96" x 8"	OPT-RLRCT968	N/A	N/A	OPT-RLRCT968E12	OPT-RLRCT968E110



Match Lit with Flame Sense
LC Certified

Square Raised Lip Pan & SS Square Burner

Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
16.5" x 16.5"	OPT-RLSQR16	OPT-RLSQR16FSML	OPT-RLSQR16FSEN	OPT-RLSQR16E12	OPT-RLSQR16E110
18" x 18"	OPT-RLSQR18	OPT-RLSQR18FSML	OPT-RLSQR18FSEN	OPT-RLSQR18E12	OPT-RLSQR18E110
24" x 24"	OPT-RLSQR24	OPT-RLSQR24FSML	OPT-RLSQR24FSEN	OPT-RLSQR24E12	OPT-RLSQR24E110
30" x 30"	OPT-RLSQR30	N/A	OPT-RLSQR30FSEN	OPT-RLSQR30E12	OPT-RLSQR30E110
36" x 36"	OPT-RLSQR36	N/A	N/A	OPT-RLSQR36E12	OPT-RLSQR36E110
48" x 48"	OPT-RLSQaR48	N/A	N/A	OPT-RLSQR48E12	OPT-RLSQR48E110





DROP IN PAN & BURNER KITS

DROP IN PAN & BURNERS KITS

PROUDLY MADE IN THE USA



At The Outdoor Plus, we offer world-class Pan & Burner systems for commercial and residential properties. **All products are proudly made and designed in the USA.**

Need Custom? Contact us at: **909.460.5579**

Learn more at:
www.theoutdoorplus.com



701 S Dupont Ave
Ontario, CA. USA 91761

Have a Question?
Give us a call: 909.460.5579



We suggest that our fire products be installed by professionals.



THE OUTDOOR PLUS

USA MANUFACTURER OF FIRE & WATER PRODUCTS

All Pans and Burners by The Outdoor Plus have been meticulously designed and manufactured to be the best most accurate Fire Performance Products in the market. All products are proudly made in the USA.



WWW.THEOUTDOORPLUS.COM



PRODUCTS NOTED IN YELLOW ARE AVAILABLE WITH CERTIFICATION



Match Lit with Flame Sense
LC Certified

Round Drop In Pan & SS Lotus Burner

Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
19" Round	OPT-PBRLF19	OPT-PBRLF19FSML	OPT-PBRLF19FSEN	OPT-PBRLF19E12	OPT-PBRLF19E110
25" Round	OPT-PBRLF25	OPT-PBRLF25FSML	OPT-PBRLF25FSEN	OPT-PBRLF25E12	OPT-PBRLF25E110
31" Round	OPT-PBRLF31	N/A	OPT-PBRLF31FSEN	OPT-PBRLF31E12	OPT-PBRLF31E110
37" Round	OPT-PBRLF37	N/A	N/A	OPT-PBRLF37E12	OPT-PBRLF37E110
43" Round	OPT-PBRLF43	N/A	N/A	OPT-PBRLF43E12	OPT-PBRLF43E110



Match Lit with Flame Sense
LC Certified

Square Drop In Pan & SS Square Burner

Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
16.5" x 16.5"	OPT-PBS16	OPT-PBS16FSML	OPT-PBS16FSEN	OPT-PBS16E12	OPT-PBS16E110
18" x 18"	OPT-PBS18	OPT-PBS18FSML	OPT-PBS18FSEN	OPT-PBS18E12	OPT-PBS18E110
24" x 24"	OPT-PBS24	OPT-PBS24FSML	OPT-PBS24FSEN	OPT-PBS24E12	OPT-PBS24E110
30" x 30"	OPT-PBS30	N/A	OPT-PBS30FSEN	OPT-PBS30E12	OPT-PBS30E110
36" x 36"	OPT-PBS36	N/A	N/A	OPT-PBS36E12	OPT-PBS36E110
48" x 48"	OPT-PBS48	N/A	N/A	OPT-PBS48E12	OPT-PBS48E110



Match Lit with Flame Sense
LC Certified

Square Drop In Pan & SS Lotus Burner

Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
16.5" x 16.5"	OPT-PBSLF16	OPT-PBSLF16FSML	OPT-PBSLF16FSEN	OPT-PBSLF16E12	OPT-PBSLF16E110
18" x 18"	OPT-PBSLF18	OPT-PBSLF18FSML	OPT-PBSLF18FSEN	OPT-PBSLF18E12	OPT-PBSLF18E110
24" x 24"	OPT-PBSLF24	OPT-PBSLF24FSML	OPT-PBSLF24FSEN	OPT-PBSLF24E12	OPT-PBSLF24E110
30" x 30"	OPT-PBSLF30	N/A	OPT-PBSLF30FSEN	OPT-PBSLF30E12	OPT-PBSLF30E110
36" x 36"	OPT-PBSLF36	N/A	N/A	OPT-PBSLF36E12	OPT-PBSLF36E110
48" x 48"	OPT-PBSLF48	N/A	N/A	OPT-PBSLF48E12	OPT-PBSLF48E110



RAISED LIP PAN & BURNER KITS

DROP IN PAN & BURNER KITS

DROP IN LIPLESS PAN & BURNER KITS

FLAT PAN & BURNER KITS

BURNERS ONLY

IGNITION SYSTEMS

PRODUCTS NOTED IN YELLOW ARE AVAILABLE WITH CERTIFICATION



Match Lit with Flame Sense
LC Certified

Rectangular Drop In Pan & SS "H" Burner Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 12"	OPT-PB1224	OPT-PB1224FSML	OPT-PB1224FSEN	OPT-PB1224E12	OPT-PB1224E110
30" x 12"	OPT-PB1230	OPT-PB1230FSML	OPT-PB1230FSEN	OPT-PB1230E12	OPT-PB1230E110
36" x 12"	OPT-PB1236	OPT-PB1236FSML	OPT-PB1236FSEN	OPT-PB1236E12	OPT-PB1236E110
42" x 12"	OPT-PB1242	OPT-PB1242FSML	OPT-PB1242FSEN	OPT-PB1242E12	OPT-PB1242E110
48" x 12"	OPT-PB1248	N/A	N/A	OPT-PB1248E12	OPT-PB1248E110
60" x 12"	OPT-PB1260	N/A	N/A	OPT-PB1260E12	OPT-PB1260E110
72" x 12"	OPT-PB1272	N/A	N/A	OPT-PB1272E12	OPT-PB1272E110
84" x 12"	OPT-PB1284	N/A	N/A	OPT-PB1284E12	OPT-PB1284E110
96" x 12"	OPT-PB1296	N/A	N/A	OPT-PB1296E12	OPT-PB1296E110



Match Lit with Flame Sense
LC Certified

Rectangular Drop In Pan & SS Linear Burner Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 6"	OPT-RT24	OPT-RT24FSML	OPT-RT24FSEN	OPT-RT24E12	OPT-RT24E110
30" x 6"	OPT-RT30	OPT-RT30FSML	OPT-RT30FSEN	OPT-RT30E12	OPT-RT30E110
36" x 6"	OPT-RT36	OPT-RT36FSML	OPT-RT36FSEN	OPT-RT36E12	OPT-RT36E110
42" x 6"	OPT-RT42	OPT-RT42FSML	OPT-RT42FSEN	OPT-RT42E12	OPT-RT42E110
48" x 6"	OPT-RT48	OPT-RT48FSML	OPT-RT48FSEN	OPT-RT48E12	OPT-RT48E110
60" x 6"	OPT-RT60	OPT-RT60FSML	OPT-RT60FSEN	OPT-RT60E12	OPT-RT60E110
72" x 6"	OPT-RT72	OPT-RT72FSML	OPT-RT72FSEN	OPT-RT72E12	OPT-RT72E110
84" x 6"	OPT-RT84	N/A	N/A	OPT-RT84E12	OPT-RT84E110
96" x 6"	OPT-RT96	N/A	N/A	OPT-RT96E12	OPT-RT96E110



Match Lit with Flame Sense
LC Certified

Rectangular Drop In Pan & SS Switchback Burner Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 12"	OPT-PBSB1224	OPT-PBSB1224FSML	OPT-PBSB1224FSEN	OPT-PBSB1224E12	OPT-PBSB1224E110
30" x 12"	OPT-PBSB1230	OPT-PBSB1230FSML	OPT-PBSB1230FSEN	OPT-PBSB1230E12	OPT-PBSB1230E110
36" x 12"	OPT-PBSB1236	OPT-PBSB1236FSML	OPT-PBSB1236FSEN	OPT-PBSB1236E12	OPT-PBSB1236E110
42" x 12"	OPT-PBSB1242	OPT-PBSB1242FSML	OPT-PBSB1242FSEN	OPT-PBSB1242E12	OPT-PBSB1242E110
48" x 12"	OPT-PBSB1248	N/A	N/A	OPT-PBSB1248E12	OPT-PBSB1248E110
60" x 12"	OPT-PBSB1260	N/A	N/A	OPT-PBSB1260E12	OPT-PBSB1260E110
72" x 12"	OPT-PBSB1272	N/A	N/A	OPT-PBSB1272E12	OPT-PBSB1272E110
84" x 12"	OPT-PBSB1284	N/A	N/A	OPT-PBSB1284E12	OPT-PBSB1284E110
96" x 12"	OPT-PBSB1296	N/A	N/A	OPT-PBSB1296E12	OPT-PBSB1296E110



DROP IN PAN & BURNER KITS

WWW.THEOUTDOORPLUS.COM



PRODUCTS NOTED IN YELLOW ARE AVAILABLE WITH CERTIFICATION



Flame Sense with Spark Ignition

This burner is also available in **BRASS**.



Flame Sense with Spark Ignition



Plug & Play Ready
CSA Certified

Round Drop In Pan & SS Round Bullet Burner

Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
13" Round	OPT-BP13RRSS	OPT-BP13RRSSFSML	OPT-BP13RRSSFSEN	OPT-BP13RRSSE12	OPT-BP13RRSSE110
19" Round	OPT-BP19RRSS	OPT-BP19RRSSFSML	OPT-BP19RRSSFSEN	OPT-BP19RRSSE12	OPT-BP19RRSSE110
25" Round	OPT-BP25RRSS	OPT-BP25RRSSFSML	OPT-BP25RRSSFSEN	OPT-BP25RRSSE12	OPT-BP25RRSSE110
31" Round	OPT-BP31RRSS	N/A	N/A	OPT-BP31RRSSE12	OPT-BP31RRSSE110
37" Round	OPT-BP37RRSS	N/A	N/A	OPT-BP37RRSSE12	OPT-BP37RRSSE110
43" Round	OPT-BP43RRSS	N/A	N/A	OPT-BP43RRSSE12	OPT-BP43RRSSE110



Round Drop In Pan & SS Triple S Bullet Burner

Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
13" Round	OPT-BP13RDSS	OPT-BP13RDSSFSML	OPT-BP13RDSSFSEN	OPT-BP13RDSSE12	OPT-BP13RDSSE110
19" Round	OPT-BP19RDSS	OPT-BP19RDSSFSML	OPT-BP19RDSSFSEN	OPT-BP19RDSSE12	OPT-BP19RDSSE110
25" Round	OPT-BP25RDSS	OPT-BP25RDSSFSML	OPT-BP25RDSSFSEN	OPT-BP25RDSSE12	OPT-BP25RDSSE110
31" Round	OPT-BP31RDSS	N/A	N/A	OPT-BP31RDSSE12	OPT-BP31RDSSE110
37" Round	OPT-BP37RDSS	N/A	N/A	OPT-BP37RDSSE12	OPT-BP37RDSSE110
43" Round	OPT-BP43RDSS	N/A	N/A	OPT-BP43RDSSE12	OPT-BP43RDSSE110



Square Drop In Pan & SS Square Bullet Burner

Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
12" x 12"	OPT-BP12SQDSS	OPT-BP12SQDSSFSML	OPT-BP12SQDSSFSEN	OPT-BP12SQDSSSE12	OPT-BP12SQDSSSE110
18" x 18"	OPT-BP18SQDSS	OPT-BP18SQDSSFSML	OPT-BP18SQDSSFSEN	OPT-BP18SQDSSSE12	OPT-BP18SQDSSSE110
24" x 24"	OPT-BP24SQDSS	OPT-BP24SQDSSFSML	OPT-BP24SQDSSFSEN	OPT-BP24SQDSSSE12	OPT-BP24SQDSSSE110
30" x 30"	OPT-BP30SQDSS	N/A	OPT-BP30SQDSSFSEN	OPT-BP30SQDSSSE12	OPT-BP30SQDSSSE110
36" x 36"	OPT-BP36SQDSS	N/A	N/A	OPT-BP36SQDSSSE12	OPT-BP36SQDSSSE110
48" x 48"	OPT-BP48SQDSS	N/A	N/A	OPT-BP48SQDSSSE12	OPT-BP48SQDSSSE110



RAISED LIP PAN & BURNER KITS

DROP IN PAN & BURNER KITS

DROP IN LIPLESS PAN & BURNER KITS

FLAT PAN & BURNER KITS

BURNERS ONLY

IGNITION SYSTEMS



This burner is also available in **BRASS**.

Flame Sense with Spark Ignition

PRODUCTS NOTED IN **YELLOW** ARE AVAILABLE WITH CERTIFICATION

Square Drop In Pan & SS Triple S Bullet Burner Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
12" x 12"	OPT-BP12SDSS	OPT-BP12SDSSFSML	OPT-BP12SDSSFSEN	OPT-BP12SDSSE12	OPT-BP12SDSSE110
18" x 18"	OPT-BP18SDSS	OPT-BP18SDSSFSML	OPT-BP18SDSSFSEN	OPT-BP18SDSSE12	OPT-BP18SDSSE110
24" x 24"	OPT-BP24SDSS	OPT-BP24SDSSFSML	OPT-BP24SDSSFSEN	OPT-BP24SDSSE12	OPT-BP24SDSSE110
30" x 30"	OPT-BP30SDSS	N/A	OPT-BP30SDSSFSEN	OPT-BP30SDSSE12	OPT-BP30SDSSE110
36" x 36"	OPT-BP36SDSS	N/A	N/A	OPT-BP36SDSSE12	OPT-BP36SDSSE110
48" x 48"	OPT-BP48SDSS	N/A	N/A	OPT-BP48SDSSE12	OPT-BP48SDSSE110



Rectangular Drop In Pan & SS "H" Bullet Burner Compatible with Natural Gas and Liquid Propane



This burner is also available in **BRASS**.

Flame Sense with Spark Ignition

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 12"	OPT-BP1224RDSS	OPT-BP1224RDSSFSML	OPT-BP1224RDSSFSEN	OPT-BP1224RDSSE12	OPT-BP1224RDSSE110
36" x 12"	OPT-BP1236RDSS	OPT-BP1236RDSSFSML	OPT-BP1236RDSSFSEN	OPT-BP1236RDSSE12	OPT-BP1236RDSSE110
48" x 12"	OPT-BP1248RDSS	OPT-BP1248RDSSFSML	OPT-BP1248RDSSFSEN	OPT-BP1248RDSSE12	OPT-BP1248RDSSE110
60" x 12"	OPT-BP1260RDSS	N/A	N/A	OPT-BP1260RDSSE12	OPT-BP1260RDSSE110
72" x 12"	OPT-BP1272RDSS	N/A	N/A	OPT-BP1272RDSSE12	OPT-BP1272RDSSE110
84" x 12"	OPT-BP1284RDSS	N/A	N/A	OPT-BP1284RDSSE12	OPT-BP1284RDSSE110
96" x 12"	OPT-BP1296RDSS	N/A	N/A	OPT-BP1296RDSSE12	OPT-BP1296RDSSE110



Rectangular Drop In Pan & SS Linear Bullet Burner Compatible with Natural Gas and Liquid Propane



This burner is also available in **BRASS**.

Flame Sense with Spark Ignition

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 8"	OPT-BP824RDSS	OPT-BP824RDSSFSML	OPT-BP824RDSSFSEN	OPT-BP824RDSSE12	OPT-BP824RDSSE110
36" x 8"	OPT-BP836RDSS	OPT-BP836RDSSFSML	OPT-BP836RDSSFSEN	OPT-BP836RDSSE12	OPT-BP836RDSSE110
48" x 8"	OPT-BP848RDSS	OPT-BP848RDSSFSML	OPT-BP848RDSSFSEN	OPT-BP848RDSSE12	OPT-BP848RDSSE110
60" x 8"	OPT-BP860RDSS	OPT-BP860RDSSFSML	OPT-BP860RDSSFSEN	OPT-BP860RDSSE12	OPT-BP860RDSSE110
72" x 8"	OPT-BP872RDSS	OPT-BP872RDSSFSML	OPT-BP872RDSSFSEN	OPT-BP872RDSSE12	OPT-BP872RDSSE110
84" x 8"	OPT-BP884RDSS	N/A	N/A	OPT-BP884RDSSE12	OPT-BP884RDSSE110
96" x 8"	OPT-BP896RDSS	N/A	N/A	OPT-BP896RDSSE12	OPT-BP896RDSSE110



PRODUCTS NOTED IN YELLOW ARE AVAILABLE WITH CERTIFICATION

RAISED LIP PAN
& BURNER KITS

DROP IN PAN
& BURNER KITS

DROP IN LIPLESS
PAN & BURNER KITS

FLAT PAN &
BURNER KITS

BURNERS
ONLY

IGNITION
SYSTEMS

Rectangular Drop In Pan & SS Switchback Bullet Burner Compatible with Natural Gas and Liquid Propane



Flame Sense with Spark Ignition

Dimensions	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 12"	OPT-BP1224SBDSS	OPT-BP1224SBDSSFSML	OPT-BP1224SBDSSFSEN	OPT-BP1224SBDSSSE12	OPT-BP1224SBDSSSE110
36" x 12"	OPT-BP1236SBDSS	OPT-BP1236SBDSSFSML	OPT-BP1236SBDSSFSEN	OPT-BP1236SBDSSSE12	OPT-BP1236SBDSSSE110
48" x 12"	OPT-BP1248SBDSS	OPT-BP1248SBDSSFSML	OPT-BP1248SBDSSFSEN	OPT-BP1248SBDSSSE12	OPT-BP1248SBDSSSE110
60" x 12"	OPT-BP1260SBDSS	N/A	N/A	OPT-BP1260SBDSSSE12	OPT-BP1260SBDSSSE110
72" x 12"	OPT-BP1272SBDSS	N/A	N/A	OPT-BP1272SBDSSSE12	OPT-BP1272SBDSSSE110
84" x 12"	OPT-BP1284SBDSS	N/A	N/A	OPT-BP1284SBDSSSE12	OPT-BP1284SBDSSSE110
96" x 12"	OPT-BP1296SBDSS	N/A	N/A	OPT-BP1296SBDSSSE12	OPT-BP1296SBDSSSE110



Round Drop In Pan & SS Round Burner Compatible with Natural Gas and Liquid Propane



Match Lit with Flame Sense
LC Certified

Dimensions	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
13" Round	OPT-PBR13	OPT-PBR13FSML	OPT-PBR13FSEN	OPT-PBR13E12	OPT-PBR13E110
19" Round	OPT-PBR19	OPT-PBR19FSML	OPT-PBR19FSEN	OPT-PBR19E12	OPT-PBR19E110
25" Round	OPT-PBR25	OPT-PBR25FSML	OPT-PBR25FSEN	OPT-PBR25E12	OPT-PBR25E110
31" Round	OPT-PBR31	N/A	OPT-PBR31FSEN	OPT-PBR31E12	OPT-PBR31E110
37" Round	OPT-PBR37	N/A	N/A	OPT-PBR37E12	OPT-PBR37E110
43" Round	OPT-PBR43	N/A	N/A	OPT-PBR43E12	OPT-PBR43E110





DROP IN LIITLESS PAN & BURNER KITS

LIITLESS DROP IN PAN & BURNERS KIT

PROUDLY MADE IN THE USA



At The Outdoor Plus, we offer world-class Pan & Burner systems for commercial and residential properties. **All products are proudly made and designed in the USA.**

Need Custom? Contact us at: **909.460.5579**

Learn more at: www.theoutdoorplus.com



WWW.THEOUTDOORPLUS.COM



Match Lit with Flame Sense
LC Certified

PRODUCTS NOTED IN **YELLOW** ARE AVAILABLE WITH CERTIFICATION

Round Lipless Drop In Pan & SS Round Burner Compatible with Natural Gas and Liquid Propane

Dimensions	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
12" Round	OPT-LTROR12	OPT-LTROR12FSML	OPT-LTROR12FSEN	OPT-LTROR12E12	OPT-LTROR12E110
18" Round	OPT-LTROR18	OPT-LTROR18FSML	OPT-LTROR18FSEN	OPT-LTROR18E12	OPT-LTROR18E110
24" Round	OPT-LTROR24	OPT-LTROR24FSML	OPT-LTROR24FSEN	OPT-LTROR24E12	OPT-LTROR24E110
30" Round	OPT-LTROR30	N/A	OPT-LTROR30FSEN	OPT-LTROR30E12	OPT-LTROR30E110
36" Round	OPT-LTROR36	N/A	N/A	OPT-LTROR36E12	OPT-LTROR36E110
48" Round	OPT-LTROR48	N/A	N/A	OPT-LTROR48E12	OPT-LTROR48E110




PRODUCTS NOTED IN YELLOW ARE AVAILABLE WITH CERTIFICATION



Match Lit with Flame Sense
CSA Certified

Square Lipless Drop In Pan & SS Square Burner Compatible with Natural Gas and Liquid Propane

Dimensions	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
16.5" x 16.5"	OPT-LTSQR16	OPT-LTSQR16FSML	OPT-LTSQR16FSEN	OPT-LTSQR16E12	OPT-LTSQR16E110
18" x 18"	OPT-LTSQR18	OPT-LTSQR18FSML	OPT-LTSQR18FSEN	OPT-LTSQR18E12	OPT-LTSQR18E110
24" x 24"	OPT-LTSQR24	OPT-LTSQR24FSML	OPT-LTSQR24FSEN	OPT-LTSQR24E12	OPT-LTSQR24E110
30" x 30"	OPT-LTSQR30	N/A	OPT-LTSQR30FSEN	OPT-LTSQR30E12	OPT-LTSQR30E110
36" x 36"	OPT-LTSQR36	N/A	N/A	OPT-LTSQR36E12	OPT-LTSQR36E110
48" x 48"	OPT-LTSQR48	N/A	N/A	OPT-LTSQR48E12	OPT-LTSQR48E110



Plug & Play Ready
CSA Certified

Rectangular Lipless Drop In Pan & SS "H" Burner Compatible with Natural Gas and Liquid Propane

Dimensions	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 12"	OPT-LTRCT2412	OPT-LTRCT2412FSML	OPT-LTRCT2412FSEN	OPT-LTRCT2412E12	OPT-LTRCT2412E110
30" x 12"	OPT-LTRCT3012	OPT-LTRCT3012FSML	OPT-LTRCT3012FSEN	OPT-LTRCT3012E12	OPT-LTRCT3012E110
36" x 12"	OPT-LTRCT3612	OPT-LTRCT3612FSML	OPT-LTRCT3612FSEN	OPT-LTRCT3612E12	OPT-LTRCT3612E110
42" x 12"	OPT-LTRCT4212	OPT-LTRCT4212FSML	OPT-LTRCT4212FSEN	OPT-LTRCT4212E12	OPT-LTRCT4212E110
48" x 12"	OPT-LTRCT4812	N/A	N/A	OPT-LTRCT4812E12	OPT-LTRCT4812E110
60" x 12"	OPT-LTRCT6012	N/A	N/A	OPT-LTRCT6012E12	OPT-LTRCT6012E110
72" x 12"	OPT-LTRCT7212	N/A	N/A	OPT-LTRCT7212E12	OPT-LTRCT7212E110
84" x 12"	OPT-LTRCT8412	N/A	N/A	OPT-LTRCT8412E12	OPT-LTRCT8412E110
96" x 12"	OPT-LTRCT9612	N/A	N/A	OPT-LTRCT9612E12	OPT-LTRCT9612E110



Low Voltage Electronic Ignition
CSA Certified

Rectangular Lipless Drop In Pan & SS Linear Burner Compatible with Natural Gas and Liquid Propane

Dimensions	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 6"	OPT-LTRCT246	OPT-LTRCT246FSML	OPT-LTRCT246FSEN	OPT-LTRCT246E12	OPT-LTRCT246E110
30" x 6"	OPT-LTRCT306	OPT-LTRCT306FSML	OPT-LTRCT306FSEN	OPT-LTRCT306E12	OPT-LTRCT306E110
36" x 6"	OPT-LTRCT366	OPT-LTRCT366FSML	OPT-LTRCT366FSEN	OPT-LTRCT366E12	OPT-LTRCT366E110
42" x 6"	OPT-LTRCT426	OPT-LTRCT426FSML	OPT-LTRCT426FSEN	OPT-LTRCT426E12	OPT-LTRCT426E110
48" x 6"	OPT-LTRCT486	OPT-LTRCT486FSML	OPT-LTRCT486FSEN	OPT-LTRCT486E12	OPT-LTRCT486E110
60" x 6"	OPT-LTRCT606	OPT-LTRCT606FSML	OPT-LTRCT606FSEN	OPT-LTRCT606E12	OPT-LTRCT606E110
72" x 6"	OPT-LTRCT726	OPT-LTRCT726FSML	OPT-LTRCT726FSEN	OPT-LTRCT726E12	OPT-LTRCT726E110
84" x 6"	OPT-LTRCT846	N/A	N/A	OPT-LTRCT846E12	OPT-LTRCT846E110
96" x 6"	OPT-LTRCT966	N/A	N/A	OPT-LTRCT966E12	OPT-LTRCT966E110





FLAT PAN & BURNER KITS

FLAT PAN & BURNERS KITS

PROUDLY MADE IN THE USA



At The Outdoor Plus, we offer world-class Pan & Burner systems for commercial and residential properties. **All products are proudly made and designed in the USA.**

Need Custom? Contact us at: **909.460.5579**

Learn more at:
www.theoutdoorplus.com



WWW.THEOUTDOORPLUS.COM



701 S Dupont Ave
Ontario, CA. USA 91761

Have a Question?
Give us a call: 909.460.5579

SAFETY TIP

We suggest that our fire products be installed by professionals.



THE OUTDOOR PLUS


USA MANUFACTURER OF FIRE & WATER PRODUCTS

All Pans and Burners by The Outdoor Plus have been meticulously designed and manufactured to be the best most accurate Fire Performance Products in the market. All products are proudly made in the USA.

PRODUCTS NOTED IN YELLOW ARE AVAILABLE WITH CERTIFICATION

Square Flat Pan & SS Lotus Burner

Compatible with Natural Gas and Liquid Propane



Plug & Play Ready
CSA Certified

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
16.5" x 16.5"	OPT-FSLB16	OPT-FSLB16FSML	OPT-FSLB16FSEN	OPT-FSLB16E12	OPT-FSLB16E110
18" x 18"	OPT-FSLB18	OPT-FSLB18FSML	OPT-FSLB18FSEN	OPT-FSLB18E12	OPT-FSLB18E110
24" x 24"	OPT-FSLB24	OPT-FSLB24FSML	OPT-FSLB24FSEN	OPT-FSLB24E12	OPT-FSLB24E110
30" x 30"	OPT-FSLB30	N/A	OPT-FSLB30FSEN	OPT-FSLB30E12	OPT-FSLB30E110
36" x 36"	OPT-FSLB36	N/A	N/A	OPT-FSLB36E12	OPT-FSLB36E110
48" x 48"	OPT-FSLB48	N/A	N/A	OPT-FSLB48E12	OPT-FSLB48E110



Round Flat Pan & SS Lotus Burner

Compatible with Natural Gas and Liquid Propane



Plug & Play Ready
LC Certified

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
18" Round	OPT-FRLB18	OPT-FRLB18FSML	OPT-FRLB18FSEN	OPT-FRLB18E12	OPT-FRLB18E110
24" Round	OPT-FRLB24	OPT-FRLB24FSML	OPT-FRLB24FSEN	OPT-FRLB24E12	OPT-FRLB24E110
30" Round	OPT-FRLB30	N/A	OPT-FRLB30FSEN	OPT-FRLB30E12	OPT-FRLB30E110
36" Round	OPT-FRLB36	N/A	N/A	OPT-FRLB36E12	OPT-FRLB36E110
42" Round	OPT-FRLB42	N/A	N/A	OPT-FRLB42E12	OPT-FRLB42E110
48" Round	OPT-FRLB48	N/A	N/A	OPT-FRLB48E12	OPT-FRLB48E110



Square Flat Pan & SS Square Burner

Compatible with Natural Gas and Liquid Propane



Plug & Play Ready
LC Certified

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
16.5" x 16.5"	OPT-999BP16	OPT-999BP16FSML	OPT-999BP16FSEN	OPT-999BP16E12	OPT-999BP16E110
18" x 18"	OPT-999BP18	OPT-999BP18FSML	OPT-999BP18FSEN	OPT-999BP18E12	OPT-999BP18E110
24" x 24"	OPT-999BP24	OPT-999BP24FSML	OPT-999BP24FSEN	OPT-999BP24E12	OPT-999BP24E110
30" x 30"	OPT-999BP30	N/A	OPT-999BP30FSEN	OPT-999BP30E12	OPT-999BP30E110
36" x 36"	OPT-999BP36	N/A	N/A	OPT-999BP36E12	OPT-999BP36E110
48" x 48"	OPT-999BP48	N/A	N/A	OPT-999BP48E12	OPT-999BP48E110



PRODUCTS NOTED IN **YELLOW** ARE AVAILABLE WITH CERTIFICATION



FLAT PAN & BURNER KITS



Match Lit with Flame Sense
LC Certified

Rectangular Flat Pan & SS "H" Burner Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 12"	OPT-REFD1224	OPT-REFD1224FSML	OPT-REFD1224FSEN	OPT-REFD1224E12	OPT-REFD1224E110
30" x 12"	OPT-REFD1230	OPT-REFD1230FSML	OPT-REFD1230FSEN	OPT-REFD1230E12	OPT-REFD1230E110
36" x 12"	OPT-REFD1236	OPT-REFD1236FSML	OPT-REFD1236FSEN	OPT-REFD1236E12	OPT-REFD1236E110
42" x 12"	OPT-REFD1242	OPT-REFD1242FSML	OPT-REFD1242FSEN	OPT-REFD1242E12	OPT-REFD1242E110
48" x 12"	OPT-REFD1248	N/A	N/A	OPT-REFD1248E12	OPT-REFD1248E110
60" x 12"	OPT-REFD1260	N/A	N/A	OPT-REFD1260E12	OPT-REFD1260E110
72" x 12"	OPT-REFD1272	N/A	N/A	OPT-REFD1272E12	OPT-REFD1272E110
84" x 12"	OPT-REFD1284	N/A	N/A	OPT-REFD1284E12	OPT-REFD1284E110
96" x 12"	OPT-REFD1296	N/A	N/A	OPT-REFD1296E12	OPT-REFD1296E110



Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 18"	OPT-REFD1824	OPT-REFD1824FSML	OPT-REFD1824FSEN	OPT-REFD1824E12	OPT-REFD1824E110
30" x 18"	OPT-REFD1830	OPT-REFD1830FSML	OPT-REFD1830FSEN	OPT-REFD1830E12	OPT-REFD1830E110
36" x 18"	OPT-REFD1836	OPT-REFD1836FSML	OPT-REFD1836FSEN	OPT-REFD1836E12	OPT-REFD1836E110
42" x 18"	OPT-REFD1842	OPT-REFD1842FSML	OPT-REFD1842FSEN	OPT-REFD1842E12	OPT-REFD1842E110
48" x 18"	OPT-REFD1848	N/A	N/A	OPT-REFD1848E12	OPT-REFD1848E110
60" x 18"	OPT-REFD1860	N/A	N/A	OPT-REFD1860E12	OPT-REFD1860E110
72" x 18"	OPT-REFD1872	N/A	N/A	OPT-REFD1872E12	OPT-REFD1872E110
84" x 18"	OPT-REFD1884	N/A	N/A	OPT-REFD1884E12	OPT-REFD1884E110
96" x 18"	OPT-REFD1896	N/A	N/A	OPT-REFD1896E12	OPT-REFD1896E110



Match Lit with Flame Sense
LC Certified

Round Flat Pan & SS Round Burner Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
12" Round	OPT-110012BP	OPT-110012BPFMSML	OPT-110012BPFSEN	OPT-110012BPE12	OPT-110012BPE110
18" Round	OPT-110018BP	OPT-110018BPFMSML	OPT-110018BPFSEN	OPT-110018BPE12	OPT-110018BPE110
24" Round	OPT-110024BP	OPT-110024BPFMSML	OPT-110024BPFSEN	OPT-110024BPE12	OPT-110024BPE110
30" Round	OPT-110030BP	N/A	OPT-110030BPFSEN	OPT-110030BPE12	OPT-110030BPE110
36" Round	OPT-110036BP	N/A	N/A	OPT-110036BPE12	OPT-110036BPE110
42" Round	OPT-110042BP	N/A	N/A	OPT-110042BPE12	OPT-110042BPE110
48" Round	OPT-110048BP	N/A	N/A	OPT-110048BPE12	OPT-110048BPE110




WWW.THEOUTDOORPLUS.COM



PRODUCTS NOTED IN YELLOW ARE AVAILABLE WITH CERTIFICATION


Rectangular Flat Pan & SS Switchback Burner Compatible with Natural Gas and Liquid Propane



Match Lit with Flame Sense
LC Certified

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 12"	OPT-RFSB1224	OPT-RFSB1224FSML	OPT-RFSB1224FSEN	OPT-RFSB1224E12	OPT-RFSB1224E110
30" x 12"	OPT-RFSB1230	OPT-RFSB1230FSML	OPT-RFSB1230FSEN	OPT-RFSB1230E12	OPT-RFSB1230E110
36" x 12"	OPT-RFSB1236	OPT-RFSB1236FSML	OPT-RFSB1236FSEN	OPT-RFSB1236E12	OPT-RFSB1236E110
42" x 12"	OPT-RFSB1242	N/A	N/A	OPT-RFSB1242E12	OPT-RFSB1242E110
48" x 12"	OPT-RFSB1248	N/A	N/A	OPT-RFSB1248E12	OPT-RFSB1248E110
60" x 12"	OPT-RFSB1260	N/A	N/A	OPT-RFSB1260E12	OPT-RFSB1260E110
72" x 12"	OPT-RFSB1272	N/A	N/A	OPT-RFSB1272E12	OPT-RFSB1272E110
84" x 12"	OPT-RFSB1284	N/A	N/A	OPT-RFSB1284E12	OPT-RFSB1284E110
96" x 12"	OPT-RFSB1296	N/A	N/A	OPT-RFSB1296E12	OPT-RFSB1296E110

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 18"	OPT-RFSB1824	OPT-RFSB1824FSML	OPT-RFSB1824FSEN	OPT-RFSB1824E12	OPT-RFSB1824E110
30" x 18"	OPT-RFSB1830	OPT-RFSB1830FSML	OPT-RFSB1830FSEN	OPT-RFSB1830E12	OPT-RFSB1830E110
36" x 18"	OPT-RFSB1836	OPT-RFSB1836FSML	OPT-RFSB1836FSEN	OPT-RFSB1836E12	OPT-RFSB1836E110
42" x 18"	OPT-RFSB1842	OPT-RFSB1842FSML	OPT-RFSB1842FSEN	OPT-RFSB1842E12	OPT-RFSB1842E110
48" x 18"	OPT-RFSB1848	N/A	N/A	OPT-RFSB1848E12	OPT-RFSB1848E110
60" x 18"	OPT-RFSB1860	N/A	N/A	OPT-RFSB1860E12	OPT-RFSB1860E110
72" x 18"	OPT-RFSB1872	N/A	N/A	OPT-RFSB1872E12	OPT-RFSB1872E110
84" x 18"	OPT-RFSB1884	N/A	N/A	OPT-RFSB1884E12	OPT-RFSB1884E110
96" x 18"	OPT-RFSB1896	N/A	N/A	OPT-RFSB1896E12	OPT-RFSB1896E110




Plug & Play Ready
CSA Certified

Square Flat Pan & SS Square Bullet Burner Compatible with Natural Gas and Liquid Propane

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
18" x 18"	OPT-BFP18SQSS	OPT-BFP18SQSSFMSL	OPT-BFP18SQSSFSEN	OPT-BFP18SQSSE12	OPT-BFP18SQSSE110
18" x 18"	OPT-BFP182SQSS	OPT-BFP182SQSSFMSL	OPT-BFP182SQSSFSEN	OPT-BFP182SQSSE12	OPT-BFP182SQSSE110
24" x 24"	OPT-BFP24SQSS	OPT-BFP24SQSSFMSL	OPT-BFP24SQSSFSEN	OPT-BFP24SQSSE12	OPT-BFP24SQSSE110
30" x 30"	OPT-BFP30SQSS	N/A	OPT-BFP30SQSSFSEN	OPT-BFP30SQSSE12	OPT-BFP30SQSSE110
36" x 36"	OPT-BFP36SQSS	N/A	N/A	OPT-BFP36SQSSE12	OPT-BFP36SQSSE110
48" x 48"	OPT-BFP48SQSS	N/A	N/A	OPT-BFP48SQSSE12	OPT-BFP48SQSSE110
60" x 60"	OPT-BFP60SQSS	N/A	N/A	OPT-BFP60SQSSE12	OPT-BFP60SQSSE110




This burner is also available in **BRASS**.



Flame Sense with Spark Ignition

This burner is also available in **BRASS**.



Match Lit with Flame Sense
LC Certified



Match Lit with Flame Sense
LC Certified

PRODUCTS NOTED IN **YELLOW** ARE AVAILABLE WITH CERTIFICATION

Rectangular Flat Pan & SS Linear Bullet Burner Compatible with Natural Gas and Liquid Propane

Dimensions	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 8"	OPT-BFP24RTSS	OPT-BFP24RTSSFMSL	OPT-BFP24RTSSFSEN	OPT-BFP24RTSSE12	OPT-BFP24RTSSE110
36" x 8"	OPT-BFP36RTSS	OPT-BFP36RTSSFMSL	OPT-BFP36RTSSFSEN	OPT-BFP36RTSSE12	OPT-BFP36RTSSE110
48" x 8"	OPT-BFP48RTSS	OPT-BFP48RTSSFMSL	OPT-BFP48RTSSFSEN	OPT-BFP48RTSSE12	OPT-BFP48RTSSE110
60" x 8"	OPT-BFP60RTSS	OPT-BFP60RTSSFMSL	OPT-BFP60RTSSFSEN	OPT-BFP60RTSSE12	OPT-BFP60RTSSE110
72" x 8"	OPT-BFP72RTSS	OPT-BFP72RTSSFMSL	OPT-BFP72RTSSFSEN	OPT-BFP72RTSSE12	OPT-BFP72RTSSE110
84" x 8"	OPT-BFP84RTSS	N/A	N/A	OPT-BFP84RTSSE12	OPT-BFP84RTSSE110
96" x 8"	OPT-BFP96RTSS	N/A	N/A	OPT-BFP96RTSSE12	OPT-BFP96RTSSE110

Rectangular Flat Pan & SS "H" Bullet Burner Compatible with Natural Gas and Liquid Propane

Dimensions	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 12"	OPT-BFP1224RSS	OPT-BFP1224RSSFSML	OPT-BFP1224RSSFSEN	OPT-BFP1224RSSE12	OPT-BFP1224RSSE110
36" x 12"	OPT-BFP1236RSS	OPT-BFP1236RSSFSML	OPT-BFP1236RSSFSEN	OPT-BFP1236RSSE12	OPT-BFP1236RSSE110
48" x 12"	OPT-BFP1248RSS	OPT-BFP1248RSSFSML	OPT-BFP1248RSSFSEN	OPT-BFP1248RSSE12	OPT-BFP1248RSSE110
60" x 12"	OPT-BFP1260RSS	N/A	N/A	OPT-BFP1260RSSE12	OPT-BFP1260RSSE110
72" x 12"	OPT-BFP1272RSS	N/A	N/A	OPT-BFP1272RSSE12	OPT-BFP1272RSSE110
84" x 12"	OPT-BFP1284RSS	N/A	N/A	OPT-BFP1284RSSE12	OPT-BFP1284RSSE110
96" x 12"	OPT-BFP1296RSS	N/A	N/A	OPT-BFP1296RSSE12	OPT-BFP1296RSSE110




Rectangular Flat Pan & SS Switchback Bullet Burner Compatible with Natural Gas and Liquid Propane

Dimensions	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 12"	OPT-BFP1224SBSS	OPT-BFP1224SBSSFSML	OPT-BFP1224SBSSFSEN	OPT-BFP1224SBSSSE12	OPT-BFP1224SBSSSE110
36" x 12"	OPT-BFP1236SBSS	OPT-BFP1236SBSSFSML	OPT-BFP1236SBSSFSEN	OPT-BFP1236SBSSSE12	OPT-BFP1236SBSSSE110
48" x 12"	OPT-BFP1248SBSS	OPT-BFP1248SBSSFSML	OPT-BFP1248SBSSFSEN	OPT-BFP1248SBSSSE12	OPT-BFP1248SBSSSE110
60" x 12"	OPT-BFP1260SBSS	N/A	N/A	OPT-BFP1260SBSSSE12	OPT-BFP1260SBSSSE110
72" x 12"	OPT-BFP1272SBSS	N/A	N/A	OPT-BFP1272SBSSSE12	OPT-BFP1272SBSSSE110
84" x 12"	OPT-BFP1284SBSS	N/A	N/A	OPT-BFP1284SBSSSE12	OPT-BFP1284SBSSSE110
96" x 12"	OPT-BFP1296SBSS	N/A	N/A	OPT-BFP1296SBSSSE12	OPT-BFP1296SBSSSE110



PRODUCTS NOTED IN YELLOW ARE AVAILABLE WITH CERTIFICATION

Round Flat Pan & SS Round Bullet Burner Compatible with Natural Gas and Liquid Propane



Flame Sense with Spark Ignition

Dimensions	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
18" Round - A	OPT-BFP18RDSS	OPT-BFP18RDSSFSML	OPT-BFP18RDSSFSEN	OPT-BFP18RDSSE12	OPT-BFP18RDSSE110
18" Round - B	OPT-BFP182RDSS	OPT-BFP182RDSSFSML	OPT-BFP182RDSSFSEN	OPT-BFP182RDSSE12	OPT-BFP182RDSSE110
24" Round	OPT-BFP24RDSS	OPT-BFP24RDSSFSML	OPT-BFP24RDSSFSEN	OPT-BFP24RDSSE12	OPT-BFP24RDSSE110
30" Round	OPT-BFP30RDSS	N/A	OPT-BFP30RDSSFSEN	OPT-BFP30RDSSE12	OPT-BFP30RDSSE110
36" Round	OPT-BFP36RDSS	N/A	N/A	OPT-BFP36RDSSE12	OPT-BFP36RDSSE110
48" Round	OPT-BFP48RDSS	N/A	N/A	OPT-BFP48RDSSE12	OPT-BFP48RDSSE110
60" Round	OPT-BFP60RDSS	N/A	N/A	OPT-BFP60RDSSE12	OPT-BFP60RDSSE110

Round Flat Pan & SS Triple "S" Bullet Burner Compatible with Natural Gas and Liquid Propane

This burner is also available in **BRASS**.



Flame Sense with Spark Ignition

Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
18" Round - A	OPT-BFP18RDSS	OPT-BFP18RSSFSML	OPT-BFP18RSSFSEN	OPT-BFP18RSSE12	OPT-BFP18RSSE110
18" Round - B	OPT-BFP182RDSS	OPT-BFP182RSSFSML	OPT-BFP182RSSFSEN	OPT-BFP182RSSE12	OPT-BFP182RSSE110
24" Round	OPT-BFP24RDSS	OPT-BFP24RSSFSML	OPT-BFP24RSSFSEN	OPT-BFP24RSSE12	OPT-BFP24RSSE110
30" Round	OPT-BFP30RDSS	N/A	OPT-BFP30RSSFSEN	OPT-BFP30RSSE12	OPT-BFP30RSSE110
36" Round	OPT-BFP36RDSS	N/A	N/A	OPT-BFP36RSSE12	OPT-BFP36RSSE110
48" Round	OPT-BFP48RDSS	N/A	N/A	OPT-BFP48RSSE12	OPT-BFP48RSSE110
60" Round	OPT-BFP60RDSS	N/A	N/A	OPT-BFP60RSSE12	OPT-BFP60RSSE110

Rectangular Flat Pan & SS Triple "S" Burner Compatible with Natural Gas and Liquid Propane

This burner is also available in **BRASS**.



Plug & Play Ready
CSA Certified



Dim	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
18" Round - A	OPT-BFP18SSS	OPT-BFP18SSSFSML	OPT-BFP18SSSFSEN	OPT-BFP18SSSE12	OPT-BFP18SSSE110
18" Round - B	OPT-BFP182SSS	OPT-BFP182SSSFSML	OPT-BFP182SSSFSEN	OPT-BFP182SSSE12	OPT-BFP182SSSE110
24" Round	OPT-BFP24SSS	OPT-BFP24SSSFSML	OPT-BFP24SSSFSEN	OPT-BFP24SSSE12	OPT-BFP24SSSE110
30" Round	OPT-BFP30SSS	N/A	OPT-BFP30SSSFSEN	OPT-BFP30SSSE12	OPT-BFP30SSSE110
36" Round	OPT-BFP36SSS	N/A	N/A	OPT-BFP36SSSE12	OPT-BFP36SSSE110
48" Round	OPT-BFP48SSS	N/A	N/A	OPT-BFP48SSSE12	OPT-BFP48SSSE110
60" Round	OPT-BFP60SSS	N/A	N/A	OPT-BFP60SSSE12	OPT-BFP60SSSE110





Rectangular Flat Pan & SS Linear Burner

Compatible with Natural Gas and Liquid Propane

DIM	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 6"	OPT-REFS624	OPT-REFS624FSML	OPT-REFS624FSEN	OPT-REFS624E12	OPT-REFS624E110
30" x 6"	OPT-REFS630	OPT-REFS630FSML	OPT-REFS630FSEN	OPT-REFS630E12	OPT-REFS630E110
36" x 6"	OPT-REFS636	OPT-REFS636FSML	OPT-REFS636FSEN	OPT-REFS636E12	OPT-REFS636E110
42" x 6"	OPT-REFS642	OPT-REFS642FSML	OPT-REFS642FSEN	OPT-REFS642E12	OPT-REFS642E110
48" x 6"	OPT-REFS648	OPT-REFS648FSML	OPT-REFS648FSEN	OPT-REFS648E12	OPT-REFS648E110
60" x 6"	OPT-REFS660	OPT-REFS660FSML	OPT-REFS660FSEN	OPT-REFS660E12	OPT-REFS660E110
72" x 6"	OPT-REFS672	OPT-REFS672FSML	OPT-REFS672FSEN	OPT-REFS672E12	OPT-REFS672E110
84" x 6"	OPT-REFS684	N/A	N/A	OPT-REFS684E12	OPT-REFS684E110
96" x 6"	OPT-REFS696	N/A	N/A	OPT-REFS696E12	OPT-REFS696E110



DIM	Match Lit	Match Lit with Flame Sense	Flame Sense with Spark Ignition	Low Voltage Electronic Ignition	Plug & Play Ready
24" x 8"	OPT-REFS824	OPT-REFS824FSML	OPT-REFS824FSEN	OPT-REFS824E12	OPT-REFS824E110
30" x 8"	OPT-REFS830	OPT-REFS830FSML	OPT-REFS830FSEN	OPT-REFS830E12	OPT-REFS830E110
36" x 8"	OPT-REFS836	OPT-REFS836FSML	OPT-REFS836FSEN	OPT-REFS836E12	OPT-REFS836E110
42" x 8"	OPT-REFS842	OPT-REFS842FSML	OPT-REFS842FSEN	OPT-REFS842E12	OPT-REFS842E110
48" x 8"	OPT-REFS848	OPT-REFS848FSML	OPT-REFS848FSEN	OPT-REFS848E12	OPT-REFS848E110
60" x 8"	OPT-REFS860	OPT-REFS860FSML	OPT-REFS860FSEN	OPT-REFS860E12	OPT-REFS860E110
72" x 8"	OPT-REFS872	OPT-REFS872FSML	OPT-REFS872FSEN	OPT-REFS872E12	OPT-REFS872E110
84" x 8"	OPT-REFS884	N/A	N/A	OPT-REFS884E12	OPT-REFS884E110
96" x 8"	OPT-REFS896	N/A	N/A	OPT-REFS896E12	OPT-REFS896E110



Low Voltage Electronic Ignition
CSA Certified





RAISED LIP PAN
& BURNER KITS

DROP IN PAN
& BURNER KITS

DROP IN LIPLISS
PAN & BURNER KITS

FLAT PAN &
BURNER KITS


BURNERS
ONLY

IGNITION
SYSTEMS



USA MADE BURNERS

BURNERS ONLY



DRAIN HOLES
Prevents water from building up inside the burner.

ORIFICE
We do not weld the burner to the pan - making the burner easily interchangeable with other burners like our Bullet Burner.


RAISED GAS HUB
Prevents water from going inside the Ignition System.

ANCHORING TABS
Professionally secure your burner to the pan. This prevents the burner from moving around.

HANDCRAFTED
Our professional craftsmen ensure every weld is professionally made and meets our Quality Control.

(M) : If the burner has "(M)" this is an indication that the burner requires a manifold which will allow the proper fuel and air mixture.

SS Square Burner



Size	Part No.	Inlet	BTU
6" x 6"	OPT-30076	1/2"	60K
12" x 12"	OPT-3007	1/2"	60K
18" x 18"	OPT-3008	1/2"	60K
24" x 24"	OPT-3009	1/2"	60K
30" x 30"	OPT-300930	3/4"	60K
36" x 36"	OPT-300936	3/4"	60K
42" x 42"	OPT-300942	3/4"	60K
48" x 48"	OPT-300948	3/4"	60K
60" x 60"	OPT-300960	3/4"	60K

SS Single Ring Burner



Size	Part No.	Inlet	BTU
12" Round	OPT-12SR	1/2"	80K
18" Round	OPT-18SR	1/2"	80K
24" Round	OPT-24SR	1/2"	80K
30" Round	OPT-30SR	1/2"	80K
36" Round	OPT-36SR	3/4"	80K
42" Round	OPT-42SR	3/4"	80K
48" Round	OPT-48SR	3/4"	80K

SS Switchback Burner

More Sizes Available Online




Size	Part No.	Inlet	BTU
18" x 7"	OPT-SB18	1/2"	65K
24" x 7"	OPT-SB24	1/2"	65K
30" x 7"	OPT-SB30	1/2"	65K
36" x 7"	OPT-SB36	1/2"	65K
48" x 7"	OPT-SB48	1/2"	65K
60" x 7" (M)	OPT-SB60	3/4"	65K
72" x 7" (M)	OPT-SB72	3/4"	65K
84" x 7" (M)	OPT-SB84	3/4"	65K
96" x 7" (M)	OPT-SB96	3/4"	65K
108" x 7" (M)	OPT-SB108	3/4"	65K
120" x 7" (M)	OPT-SB120	3/4"	65K

WWW.THEOUTDOORPLUS.COM




SS Round Burner



Size	Part No.	Inlet	BTU
5" Round	OPT-158-5	1/2"	30K
6" Round	OPT-158	1/2"	35K
8" Round	OPT-158-8	1/2"	45K
10" Round	OPT-159-10	1/2"	55K
12" Round	OPT-159	1/2"	65K
18" Round	OPT-160	1/2"	160K
24" Round	OPT-161	1/2"	190K
30" Round	OPT-161-30	3/4"	330K
36" Round	OPT-162	3/4"	380K
48" Round	OPT-162-48	3/4"	630K

SS Triple S Burner



Size	Part No.	Inlet	BTU
12"	OPT-3S12	1/2"	60K
18"	OPT-3S18	1/2"	90K
24"	OPT-3S24	1/2"	120K
30"	OPT-3S30	3/4"	150K
36"	OPT-3S36	3/4"	180K
42"	OPT-3S42	3/4"	210K
48"	OPT-3S48	3/4"	240K

SS "H" Burner



Size	Part No.	Inlet	BTU
24" x 6"	OPT-182	1/2"	90K
36" x 6"	OPT-184	1/2"	130K
48" x 6"	OPT-18448	3/4"	170K
72" x 6" (M)	OPT-18472	3/4"	250K
96" x 6" (M)	OPT-18496	3/4"	410K

(M) : If the burner has "(M)" this is an indication that the burner requires a manifold which will allow the proper fuel and air mixture.

SS Triangle Burner



Size	Part No.	Inlet	BTU
12"	OPT-3001	1/2"	60K
18"	OPT-3002	1/2"	150K
24"	OPT-3003	1/2"	180K
30"	OPT-300330	3/4"	315K
36"	OPT-3004	3/4"	360K
48"	OPT-300448	3/4"	600K

SS Half Moon Burner



Size	Match Lit	Inlet	BTU
18" x 9"	OPT-HM18	1/2"	80K
24" x 12"	OPT-HM24	1/2"	90K
30" x 15"	OPT-HM30	1/2"	120K
36" x 18"	OPT-HM36	3/4"	140K
42" x 21"	OPT-HM42	3/4"	150K
48" x 24"	OPT-HM48	3/4"	175K

SS "S" Burner



Size	Match Lit	Inlet	BTU
18" x 6"	OPT-3013	1/2"	30K
24" x 6"	OPT-3014	1/2"	50K
30" x 6"	OPT-301530	1/2"	50K
36" x 6"	OPT-3015	1/2"	50K
48" x 6"	OPT-3016	1/2"	50K
60" x 6"	OPT-301660	3/4"	50K
72" x 6"	OPT-3017	3/4"	50K
84" x 6"	OPT-301784	3/4"	50K
96" x 6" (M)	OPT-301796	3/4"	50K
108" x 6" (M)	OPT-3017108	3/4"	50K
120" x 6" (M)	OPT-3017120	3/4"	50K



SS Racetrack Burner




Size	Part No.	Inlet	BTU
18" x 6"	OPT-RT618	1/2"	50K
24" x 6"	OPT-RT624	1/2"	50K
30" x 6"	OPT-RT630	1/2"	50K
36" x 6"	OPT-RT636	1/2"	50K
48" x 6"	OPT-RT648	1/2"	50K
24" x 12"	OPT-RT1224	1/2"	50K
30" x 12"	OPT-RT1230	1/2"	50K
36" x 12"	OPT-RT1236	1/2"	50K
42" x 12"	OPT-RT1242	1/2"	50K
48" x 12"	OPT-RT1248	1/2"	50K
54" x 12"	OPT-RT1254	3/4"	50K
60" x 12"	OPT-RT1260	3/4"	50K
72" x 12"	OPT-RT1272	3/4"	50K

SS Double Racetrack Burner



Size	Part No.	Inlet	BTU
24" x 12"	OPT-DRT1224	1/2"	100K
30" x 12"	OPT-DRT1230	1/2"	100K
36" x 12"	OPT-DRT1236	1/2"	100K
42" x 12"	OPT-DRT1242	1/2"	100K
48" x 12"	OPT-DRT1248	3/4"	100K
54" x 12"	OPT-DRT1254	3/4"	100K
60" x 12" (M)	OPT-DRT1260	3/4"	100K
72" x 12" (M)	OPT-DRT1272	3/4"	100K
30" x 18"	OPT-DRT1830	3/4"	100K
36" x 18"	OPT-DRT1836	3/4"	100K
42" x 18"	OPT-DRT1842	3/4"	100K
48" x 18"	OPT-DRT1848	3/4"	100K
60" x 18" (M)	OPT-DRT1860	3/4"	100K
72" x 18" (M)	OPT-DRT1872	3/4"	100K
84" x 18" (M)	OPT-DRT1884	3/4"	100K

SS Rectangle Burner



Size	Part No.	Inlet	BTU
12" x 6"	OPT-3010	1/2"	60K
18" x 6"	OPT-3011	1/2"	80K
24" x 6"	OPT-301124	1/2"	100K
30" x 6"	OPT-301130	1/2"	120K
36" x 6"	OPT-301136	1/2"	140K
48" x 6"	OPT-301148	3/4"	180K
24" x 12"	OPT-3012	1/2"	120K
30" x 12"	OPT-301230	1/2"	140K
36" x 12"	OPT-301236	3/4"	160K
42" x 12"	OPT-301242	3/4"	180K
48" x 12"	OPT-301248	3/4"	200K
60" x 12" (M)	OPT-301260	3/4"	240K
72" x 12" (M)	OPT-301272	3/4"	280K

(M) : If the burner has "(M)" this is an indication that the burner requires a manifold which will allow the proper fuel and air mixture.

SS Double Rectangle Burner




Size	Part No.	Inlet	BTU
24" x 12"	OPT-DR1224	1/2"	200K
30" x 12"	OPT-DR1230	1/2"	200K
36" x 12"	OPT-DR1236	1/2"	200K
42" x 12"	OPT-DR1242	1/2"	200K
48" x 12"	OPT-DR1248	3/4"	200K
60" x 12"	OPT-DR1260	3/4"	200K
72" x 12"	OPT-DR1272	3/4"	200K
30" x 18"	OPT-DR1830	3/4"	200K
36" x 18"	OPT-DR1836	3/4"	200K
42" x 18"	OPT-DR1842	3/4"	200K
48" x 18"	OPT-DR1848	3/4"	200K
60" x 18" (M)	OPT-DR1860	3/4"	200K

SS "T" Burner




Size	Part No.	Inlet	BTU
16"	OPT-16616	1/2"	30K
24"	OPT-167	1/2"	40K
30"	OPT-168	1/2"	50K
36"	OPT-169	1/2"	60K
42"	OPT-166T42	1/2"	70K
48"	OPT-166T48	1/2"	80K
54"	OPT-166T54	1/2"	90K
60"	OPT-166T60	3/4"	100K
66"	OPT-166T66	3/4"	110K
72"	OPT-166T72	3/4"	120K
84"	OPT-166T84	3/4"	140K
90" (M)	OPT-166T90	3/4"	150K
96" (M)	OPT-166T96	3/4"	160K
108" (M)	OPT-166T108	3/4"	180K
120" (M)	OPT-166T120	3/4"	200K

SS Wheel Burner




Size	Part No.	Inlet	BTU
18" Round	OPT-W18	1/2"	100K
24" Round	OPT-W24	1/2"	100K
30" Round	OPT-W30	1/2"	100K
36" Round	OPT-W36	3/4"	100K
42" Round	OPT-W42	3/4"	100K
48" Round	OPT-W48	3/4"	100K

SS Star Burner



Size	Part No.	Inlet	BTU
12"	OPT-171	1/2"	90K
16"	OPT-171A	1/2"	90K
18"	OPT-17118	1/2"	90K
24"	OPT-172	1/2"	90K
30"	OPT-17230	3/4"	90K
36"	OPT-17236	3/4"	90K
48"	OPT-17248	3/4"	90K

SS Lotus Burner



Size	Part No.	Inlet	BTU
18"	OPT-18LTS	1/2"	125K
24"	OPT-24LTS	1/2"	125K
30"	OPT-30LTS	1/2"	125K
36"	OPT-36LTS	3/4"	125K
42"	OPT-42LTS	3/4"	125K
48"	OPT-48LTS	3/4"	125K


SS Fish Eye Burner



Size	Part No.	Inlet	BTU
18" x 6"	OPT-FE18	1/2"	65K
24" x 6"	OPT-FE24	1/2"	65K
30" x 6"	OPT-FE30	1/2"	65K
36" x 6"	OPT-FE36	1/2"	65K
48" x 6"	OPT-FE48	1/2"	65K


(M) : If the burner has "(M)" this is an indication that the burner requires a manifold which will allow the proper fuel and air mixture.

SS Double Fish Eye Burner




Size	Part No.	Inlet	BTU
24" x 12"	OPT-FE24D	1/2"	100K
36" x 12"	OPT-FE36D	1/2"	100K
48" x 12"	OPT-FE48D	3/4"	100K
60" x 12"	OPT-FE60D	3/4"	100K

SS Fireplace Log Lighter Burner



Size	Part No.	Inlet	BTU
12"	OPT-173-12	1/2"	20K
18"	OPT-173	1/2"	20K
24"	OPT-174	1/2"	20K
30"	OPT-175	1/2"	20K
36"	OPT-17536	1/2"	20K
42"	OPT-17542	1/2"	20K
48"	OPT-17548	1/2"	20K
60"	OPT-17560	3/4"	20K

SS Fireplace "H" Burner




Size	Part No.	Inlet	BTU
18" x 6"	OPT-154	1/2"	70K
24" x 6"	OPT-155	1/2"	70K
30" x 6"	OPT-156	1/2"	70K
36" x 6"	OPT-157	1/2"	70K
48" x 12"	OPT-157	3/4"	70K
60" x 12"	OPT-157660	3/4"	70K
72" x 12"	OPT-15772	3/4"	70K

(M) : If the burner has “(M)” this is an indication that the burner requires a manifold which will allow the proper fuel and air mixture.



Triple “S” Bullet Burner




Size	SS Part No.	Brass Part No.	Inlet	BTU
8"	OPT-B8SS	OPT-B8B	1/2"	50K
12"	OPT-B12SS	OPT-B12B	1/2"	50K
18"	OPT-B18SS	OPT-B18B	1/2"	50K
24"	OPT-B24SS	OPT-B24B	1/2"	50K
30"	OPT-B30SS	OPT-B30B	3/4"	50K
36"	OPT-B36SS	OPT-B36B	3/4"	50K
48"	OPT-B48SS	OPT-B48B	3/4"	50K

“H” Bullet Burner




Size	SS Part No.	Brass Part No.	Inlet	BTU
18" x 6"	OPT-B18SSH	OPT-B18BH	1/2"	50K
24" x 6"	OPT-B24SSH	OPT-B24BH	1/2"	50K
30" x 6"	OPT-B30SSH	OPT-B30BH	1/2"	50K
36" x 6"	OPT-B36SSH	OPT-B36BH	1/2"	50K
42" x 6"	OPT-B42SSH	OPT-B42BH	1/2"	50K
48" x 6"	OPT-B48SSH	OPT-B48BH	3/4"	50K
60" x 6"(M)	OPT-B60SSH	OPT-B60BH	3/4"	50K
72" x 6"(M)	OPT-B72SSH	OPT-B72BH	3/4"	50K

Linear Bullet Burner



Size	SS Part No.	Brass Part No.	Inlet	BTU
12"	OPT-B12SST	OPT-B12BT	1/2"	25K
18"	OPT-B18SST	OPT-B18BT	1/2"	25K
24"	OPT-B24SST	OPT-B24BT	1/2"	25K
30"	OPT-B30SST	OPT-B30BT	1/2"	25K
36"	OPT-B36SST	OPT-B36BT	1/2"	25K
42"	OPT-B42SST	OPT-B42BT	1/2"	25K
48"	OPT-B48SST	OPT-B48BT	1/2"	25K
54"	OPT-B54SST	OPT-B54BT	1/2"	25K
60"	OPT-B60SST	OPT-B60BT	3/4"	25K
66"	OPT-B66SST	OPT-B66BT	3/4"	25K
72"	OPT-B72SST	OPT-B72BT	3/4"	25K
84"	OPT-B84SST	OPT-B84BT	3/4"	25K
90"(M)	OPT-B90SST	OPT-B90BT	3/4"	25K
96"(M)	OPT-B96SST	OPT-B96BT	3/4"	25K

SS Square Bullet Burner




Size	Part No.	Inlet	BTU
8"	OPT-BSQSS8	1/2"	25K
12"	OPT-BSQSS12	1/2"	25K
18"	OPT-BSQSS18	1/2"	25K
24"	OPT-BSQSS24	1/2"	25K
30"	OPT-BSQSS30	3/4"	25K
36"	OPT-BSQSS36	3/4"	25K
48"	OPT-BSQSS48	3/4"	25K

(M) : If the burner has “(M)” this is an indication that the burner requires a manifold which will allow the proper fuel and air mixture.



(M) : If the burner has "(M)" this is an indication that the burner requires a manifold which will allow the proper fuel and air mixture.

SS Round Bullet Burner



Size	Part No.	Inlet	BTU
8"	OPT-BRDSS8	1/2"	50K
12"	OPT-BRDSS12	1/2"	50K
18"	OPT-BRDSS18	1/2"	50K
24"	OPT-BRDSS24	1/2"	50K
30"	OPT-BRDSS30	3/4"	50K
36"	OPT-BRDSS36	3/4"	50K
48"(M)	OPT-BRDSS48	3/4"	50K

SS Switchback Bullet Burner




Size	Part No.	Inlet	BTU
18" x 6"	OPT-BSWSS18	1/2"	50K
24" x 6"	OPT-BSWSS24	1/2"	50K
30" x 6"	OPT-BSWSS30	1/2"	50K
36" x 6"	OPT-BSWSS36	1/2"	50K
48" x 6"	OPT-BSWSS48	1/2"	50K
60" x 6"	OPT-BSWSS60	3/4"	50K
72" x 6"	OPT-BSWSS72	3/4"	50K

Racetrack Bullet Burner




Size	Part No.	Inlet	BTU
18" x 6"	OPT-BRTSS186	1/2"	25K
24" x 6"	OPT-BRTSS246	1/2"	25K
30" x 6"	OPT-BRTSS306	1/2"	25K
36" x 6"	OPT-BRTSS366	1/2"	25K
48" x 6"	OPT-BRTSS486	1/2"	25K
60" x 6"(M)	OPT-BRTSS606	3/4"	25K
72" x 6"(M)	OPT-BRTSS726	3/4"	25K

SS Rectangular Bullet Burner



Size	Part No.	Inlet	BTU
18" x 12"	OPT-BRTSS1812	1/2"	25K
24" x 12"	OPT-BRTSS2412	1/2"	25K
30" x 12"	OPT-BRTSS3012	1/2"	25K
36" x 12"	OPT-BRTSS3612	3/4"	25K
48" x 12"	OPT-BRTSS4812	3/4"	25K
60" x 12"(M)	OPT-BRTSS6012	3/4"	25K
72" x 12"(M)	OPT-BRTSS7212	3/4"	25K

SS Double Rectangular Bullet Burner



Size	Part No.	Inlet	BTU
18" x 12"	OPT-BDRTSS1812	1/2"	25K
24" x 12"	OPT-BDRTSS2412	1/2"	25K
30" x 12"	OPT-BDRTSS3012	1/2"	25K
36" x 12"	OPT-BDRTSS3612	3/4"	25K
48" x 12"	OPT-BDRTSS4812	3/4"	25K
60" x 12"(M)	OPT-BDRTSS6012	3/4"	25K
72" x 12"(M)	OPT-BDRTSS7212	3/4"	25K

(M) : If the burner has "(M)" this is an indication that the burner requires a manifold which will allow the proper fuel and air mixture.



SMART WEATHER ELECTRONIC IGNITION SYSTEM

SWEIS



Features:

- Reliable
- CSA Certified
- Easy to Install
- Compact design
- 12V or 110V units
- Available for units 400K+ BTU

- **SWEIS Ignition Systems** stand out as the premier Electronic Ignition (E.I) Systems in the market
- **SWEIS** combines top-tier performance with compact, versatile designs for unbeatable reliability in any space.





Low Voltage Electronic Ignition System
Mini Capacity

TOP-500EIS-100-12

Fuel Type:	Natural Gas Propane
Certification:	CSA Certified
Material:	Stainless Steel
MAX Gas Output:	190K BTU
Gas Pressure Limit:	1/2 PSI
Inlet Size:	1/2" FIP
Outlet Size:	1/2" FIP
Current Output:	14VAC



Low Voltage Electronic Ignition System
Standard Capacity

TOP-500EIS-200-12

Fuel Type:	Natural Gas Propane
Certification:	CSA Certified
Material:	Stainless Steel
MAX Gas Output:	290K BTU
Gas Pressure Limit:	1/2 PSI
Inlet Size:	1/2" FIP
Outlet Size:	1/2" FIP
Current Output:	14VAC



Low Voltage Electronic Ignition System
High Capacity

TOP-500EIS-300-12

Fuel Type:	Natural Gas Propane
Certification:	CSA Certified
Material:	Stainless Steel
MAX Gas Output:	510K BTU
Gas Pressure Limit:	1/2 PSI
Inlet Size:	1/2" FIP
Outlet Size:	1/2" FIP
Current Output:	14VAC



Plug & Play Electronic Ignition System
Mini Capacity

TOP-500EIS-100-110

Fuel Type:	Natural Gas Propane
Certification:	CSA Certified
Material:	Stainless Steel
MAX Gas Output:	190K BTU
Gas Pressure Limit:	1/2 PSI
Inlet Size:	1/2" FIP
Outlet Size:	1/2" FIP
Current Output:	110VAC



Plug & Play Electronic Ignition System
Standard Capacity

TOP-500EIS-200-110

Fuel Type:	Natural Gas Propane
Certification:	CSA Certified
Material:	Stainless Steel
MAX Gas Output:	290K BTU
Gas Pressure Limit:	1/2 PSI
Inlet Size:	1/2" FIP
Outlet Size:	1/2" FIP
Current Output:	110VAC



Plug & Play Electronic Ignition System
High Capacity

TOP-500EIS-300-110

Fuel Type:	Natural Gas Propane
Certification:	CSA Certified
Material:	Stainless Steel
MAX Gas Output:	510K BTU
Gas Pressure Limit:	1/2 PSI
Inlet Size:	1/2" FIP
Outlet Size:	1/2" FIP
Current Output:	110VAC

RAISED LIP PAN & BURNER KITS
DROP IN PAN & BURNER KITS
DROP IN LIPLESS PAN & BURNER KITS
FLAT PAN & BURNER KITS
BURNERS ONLY

IGNITION SYSTEMS



Choose Your Panel

How do I order my panel?

In order to add an Fire Pit Panel onto your order, add the part number from the panel you are looking to purchase at the end of the fire pit SKU. The panel you choose will come installed by us. You don't have to worry about installing it yourself, we will do that for you. We do not sell the panels separately.



Dial Timer Panel Add “-DTMP”

Description

- Panel comes installed onto the Fire Pit
- Includes: Dial Timer (110V)
- Key Valve with Key
- Compatible with NG & LP



1-Hour Timer with Key Valve Panel Add “OPT-BTTSKVRP”

Description

- Panel comes installed onto the Fire Pit
- 1 Hour Timer
- Key Valve with Key
- ADA Compliant
- Compatible with NG & LP



Gas Timer with E-Stop Panel Add “-GTESP”

Description

- Panel comes installed onto the Fire Pit
- 1 Hours Timer
- Emergency Stop
- Key Valve with Key
- Compatible with NG & LP



Bluetooth with Key Valve Panel Add “TOP-500BLUKVRP”

Description

- Panel comes installed onto the Fire Pit
- Compatible with iOS/Android
- Multiple Wireless Features
- Key Valve with Key
- Compatible with NG & LP



Spark Igniter Panel Add “-PBSIP”

Description

- Panel comes installed onto the Fire Pit
- Spark Ignition: Battery Powdered
- Key Valve with Key
- Compatible with NG & LP



Light Switch with Key Valve Panel Add “OPT-RC110VKVRP”

Description

- Panel comes installed onto the Fire Pit
- Wireless Remote Control Included
- Key Valve with Key
- Compatible with NG & LP





Gas Timer, Spark Ignition, and Key Valve Panel

Add "OPT-GTESTOPTMPBKVRP"

Description

- Panel comes installed onto the Fire Pit
- 1 Hour Gas Timer
- Emergency Stop
- Key Valve with Key
- Compatible with NG & LP

- Not Compatible with Match Lit Units



Gas Timer with E-Stop - Flat Trapezoid Panel

Add "OPT-ESTOPTMTP"

Description

- Panel comes installed onto the Fire Pit
- Stainless Steel Flat Trapezoid Panel
- 1 Hours Timer
- Emergency Stop
- Key Valve with Key
- Compatible with NG & LP



Weatherproof Switch with Key Valve Panel

Add "OPT-WPS110VKVRP"

Description

- Panel comes installed onto the Fire Pit
- On/Off Switch
- Key Valve with Key
- Compatible with NG & LP



Get Custom Fire Pit Panels

The Outdoor Plus prides itself on building quality and reliable Fire Pit Panels. Like all Outdoor Plus products, we are committed to the highest levels of customer care. Need a custom Fire Pit Panel?

Give us a call and talk to a professional we can help provide you with your own custom fire pit panel.



SMART WEATHER ELECTRONIC IGNITION SYSTEM

SWEIS

ACCESSORIES

These are some of our compatible accessories for our SWEIS ignition system. These are a great choice for any commercial or residential property looking for an extra layer of protection.



Electrical Dial Timer
OPT-DTM

Description:

- Outdoor Rated Electrical Box and Cover
- SWEIS Compatible (work with Plug & Play Systems)
- Choose between 1min-60min cycle time
- Weather Resistant Box
- Not Compatible with Match Lit System*



Emergency Stop Button with Key
OPT-ESTOPKEY

Description:

- Outdoor Rated Electrical Box and Cover
- SWEIS Compatible (work with Plug & Play Systems)
- Commercial Grade
- Instantly Turn Off Gas Line
- Not Compatible with Match Lit System*



Portable Electronic Remote
OPT-ODPER

Description:

- Outdoor Rated Electrical Remote
- SWEIS Compatible (work with Plug & Play Systems)
- Easily Turn On/Off Fire Feature
- Not Compatible with Match Lit System*



Electrical Junction Box
OPT-JBOX

Description:

- Outdoor Rated Electrical Box
- SWEIS Compatible
- Designed for Pool, Spa & landscape applications
- Connect up to 4 Fire Features
- Great for weather protection
- Not Compatible with Match Lit System*



BLUETOOTH WITH KEY VALVE PANEL (SMART SWITCH)
OPT-BLUKVRP

Description:

- SWEIS Compatible (work with Low Voltage)
- Control Manually or use iOS/Android App
- Control Range 30 Feet
- Multiple Modes Available
- Not Compatible with Match Lit System*



Emergency Stop Button
OPT-ESTOP

Description:

- Outdoor Rated Electrical Box and Cover
- SWEIS Compatible (work with Plug & Play Systems)
- Commercial Grade with Weather Protected Cover
- Instantly Turn Off Gas Line
- Not Compatible with Match Lit System*



Remote Control & Wireless Receiver
TOP-500BLU

Description:

- Outdoor Rated Electrical Box
- SWEIS Compatible (work with Plug & Play Systems)
- Includes Remote & Wireless Receiver
- Not Compatible with Match Lit System*



1-Hour Button Timer
OPT-BTTS

Description:

- Outdoor Rated Electrical Box
- SWEIS Compatible (work with Plug & Play Systems)
- 5 Modes: 10min | 20min | 30min | 60min | Hold
- Not Compatible with Match Lit System*



REPLACEMENT PARTS

These are some of our compatible accessories for our SWEIS ignition system. These are a great choice for any commercial or residential property looking for an extra layer of protection.



On/Off Switch
OPT-WPS110V

Description:

- Outdoor Rated Electrical Box and Cover
- SWEIS Compatible (work with Plug & Play Systems)
- Control you Fire Feature
- Weather Resistant control box
- Not Compatible with Match Lit System*



Thermocouple Replacement
OPT-PITC

Description:

- Only works with Low Voltage/ Plug & Play Ready Pilot Ignitor



Glow Plug Replacement
TOP-PIGP

Description:

- Only works with Low Voltage/ Plug & Play Ready Pilot Ignitor



Low Voltage Control Panel
TOP-12VCP

Description:

- 300Watts
- Input Voltage: 110/120 VAC
- Output Voltage: 12/13/14 VAC
- Ideal for Swimming Pool, Spas, and Fountains.



Pilot Ignitor Extensions
TOP-PIEXT

Description:

- Length: 60"
- Gas Line Extensions
- Hot Surface Extensions
- Thermocouple Extension



Pilot Ignitor
TOP-500PI

Description:

- Length: 19"
- Hot Surface Igniter (HSI)
- Thermocouple Flame Sensor
- Heat Weather Resistant Sleeve



Pilot Ignitor Cover
TOP-PIC

Description:

- 304 Stainless Steel
- Only for the 14V/110V SWEIS Pilot Ignitor



**QUALITY
DESIGNED FOR YOU**

SPARK IGNITION

SAFE TO OPERATE

**Available for both.
NG or LP**

The spark ignition electronic ignition system takes the ease of use electronic system. Our spark ignition only require one double AA battery and the unit will start on automatically. Fast and easy to use. The Spark Ignition delivers brilliant Fire Performance.



LP Spark Igniter Kit

OPT-2322LP

- Includes: Mounting Plate, Push Button Igniter, Push Button Electrical Leads, Key Valve with Key, 3/8" SS Whistle Free Hose, LP Regulator, Spark Igniter Cover, LP Air Mix

LP Spark Igniter Kit - High Capacity

OPT-2322LPHC

- Recommended for 300K BTU and up
- Includes: Mounting Plate, Push Button Igniter, Push Button Electrical Leads, Key Valve with Key, 3/8" SS Whistle Free Hose, LP Regulator, Spark Igniter Cover, LP Air Mix



NG Spark Igniter Kit

OPT-2322NG

- Includes: Mounting Plate, Push Button Igniter, Push Button Electrical Leads, Key Valve with Key, 3/8" SS Whistle Free Hose, and NG Orifice

NG Spark Igniter Kit - High Capacity

OPT-2322NGHC

- Recommended for 300K BTU and up
- Includes: Mounting Plate, Push Button Igniter, Push Button Electrical Leads, Key Valve with Key, 3/8" SS Whistle Free Hose, and NG Orifice



REPLACEMENT PARTS

Spark Igniter Kit with Electrode

OPT-SIPB

- The spark igniter kit with electrode is easy to install. Our kits are carefully assembled with all the components you need to get started.



Electrode Leads

OPT-P36

- The electrode leads provides a spark which creates the flames provided to your fire feature.



Push Button Only

OPT-RPB

- Our push button works with both natural gas and propane fire units. It is safe to operate and has gone rigorous testing. Easily connect the push button and convert your fire feature into a spark ignition.



Electrode Cover

OPT-PIC

- Protects the electrode from environmental conditions.



BUILT TO OUT-PERFORM



Flame Sense Valve TOP-FSML

- 30" Leads
- NG Orifice
- Flame Sense Valve
- Push Button Spark Igniter
- Dimensions: 7"L x 7"W x 3"H



Flame Sense with Spark Ignition - NG TOP-FSPBI-NG

- 30" Leads
- NG Orifice
- Flame Sense Valve
- Push Button Spark Igniter
- Dimensions: 7"L x 7"W x 3"H



Flame Sense with Spark Ignition - LP TOP-FSPBI-LP

- 30" Leads
- LP Air Mixer
- Flame Sense Valve
- Push Button Spark Igniter
- Dimensions: 7"L x 7"W x 3"H



Flame Sense Valve - NG TOP-FSML-NG

- 30" Leads
- NG Orifice
- Flame Sense Valve & Heat Sensor
- CSA Certified
- Dimensions: 7"L x 7"W x 3"H



FLAME SENSE WITH IGNITION SYSTEM

TOP-FSPBI

- 30" Leads
- Flame Sense Valve
- Available in NG or LP
- Push Button Spark Igniter
- Dimensions: 7"L x 7"W x 3"H

Flame Sense Valve - LP TOP-FSML-LP

- 30" Leads
- LP Air Mixer
- CSA Certified
- Flame Sense Valve & Heat Sensor
- Dimensions: 7"L x 7"W x 3"H



Flame Sense

Replacement Parts



Flame Sense Valve
OPT-FSGV



Pilot Hood
OPT-FSPG



Propane Orifice 23
OPT-FSLPO



Propane Orifice 23
OPT-FSLPO



On/Off Knob Cover
OPT-FSOC



Pilot Hood
OPT-FSPG

COMPLETE PAVER KITS

High Quality Kits for your Fire Pit Project

COMPLETE PAVER KITS

Discover our Complete Kits. Experience warmth, safety, and style with our packages.

The Outdoor Plus offers versatile Complete Fire Pit Kits, built with high-quality materials that perform and look exceptional. Elevate your outdoor space with its unique aesthetic and enjoy unparalleled safety and convenience.

SCAN HERE

WHAT'S INCLUDED IN THE KIT:

CHOOSE YOUR PAN & BURNER KIT

- PATENTED Bullet Burner
- Key Valve / Flex Line
- High-Quality Fire Pan
- NG/LP

Z - BRACKET

- High-Quality Construction
- Easy-To-Install
- Stable & Secure
- Lightweight

AIR VENT

- Designed for Proper Air Flow
- Easy-To-Install
- Various Sizes
- Heavy-Duty Construction

CHOOSE YOUR IGNITION TYPE

- Durable & Long-Lasting
- Lightweight
- Adjustable Bracket
- Match Lit or Electronic

Z - BRACKETS
Supports the fire pan.

FLAT FIRE PAN
High-Quality Construction

BRASS BULLET BURNER
US PATENTED

MATCH LIT IGNITION SYSTEM

1. 12" Control System
2. Adjustable Panel
3. Match Lit Key
4. Flex Line

WE OFFER CERTIFIED KITS:

C US

C US

#1 TRUSTED FIRE & WATER MANUFACTURER IN THE INDUSTRY

RECTANGULAR & SQUARE PAN BULLET BURNER KITS

KITS INCLUDE: Fire Pan, Stainless Steel Bullet Burner, Orifice & Fittings/Flex Line, Key Valve, Key, Power Bracket, Vents, 24" Z-Mounting Brackets

RECTANGULAR PAN & BULLET BURNER KIT

MATCH LIT

PART NO.
888CT1000HP
888CT1000LP
888CT1000CHP

SIZES
12" x 24"
18" x 22"
24" x 36"

SQUARE PAN & BULLET BURNER KIT

MATCH LIT

PART NO.
888SQ1000HP
888SQ1000LP
888SQ1000CHP

SIZE
18" x 24" x 28" x 30"
24" x 36"

CHOOSE YOUR IGNITION TYPE

MATCH LIT

FIRE GLOW

LOW VOLTAGE

PLUG & PLAY

SPARK GLOW

ACCESSORIES

Remote Control Wireless Receiver
OPT-RCWR

Emergency Stop Button
OPT-ESTB

Dial Timer
OPT-DTMR

1-Hour Button Timer
OPT-1HTM

Commercial Light Switch
OPT-CLSW

Gas Timer & B-Stop
OPT-GTBS

SAFETY TOWER - THREE OPTIONS

Put the safety of your home, property, and yourself above all else with TOP Safety Towers.

- Electrical shut-off
- Emergency stop
- Gas emergency stop button
- More options available

SAFETY TOWER - TWO OPTIONS

OPT-SAFETY2

Similar to the three options safety towers, this unique patented fire safety device includes a control panel to your safety still providing convenience. You will have the same options for features including a stop, timer and more.

CONTACT US

Let us assist you in constructing your safety. Please discuss with us the specifics of your requirements, we will design and build your tower accordingly.

THE OUTDOOR PLUS

#1 TRUSTED FIRE & WATER MANUFACTURER IN THE INDUSTRY

BROWSE OUR

COMPLETE PAVER KIT CATALOG

38

WWW.THEOUTDOORPLUS.COM

Gas Conversion Kits

High Quality Kits for your Fire Pit Project



NG to LP Conversion Kit
OPT-LPCKIT
- LP Air Mixer
- Coupling
- Propane Regulator with hose



LP to NG Conversion Kit
OPT-NGCKIT
- Natural Gas Orifice
- 1/2" Whistle Free Hose



48" LP Regulator
OPT-1300



96" LP Regulator
OPT-130096



6' - High Pressure LP Hose
OPT-1321HP

Accessories

High Quality Kits for your Fire Pit Project



Gas Timer & E-Stop
OPT-ESTOPTM



Gas Timer & E-Stop Panel
OPT-ESTOPTMPL



Gas Ball Valve
OPT-NGBV



Quick Connect Gas Hose

3/8" Hose
OPT-QCHOSE

1/2" Hose
OPT-QCHOSEHC



Chrome



Gold



Antique



Black

Size	Chrome	Gold	Antique	Black
1/2" Key Valve	OPT-256	OPT-256GO	OPT-256AN	OPT-256BL
1/2" Ball Valve	OPT-256FF	OPT-256FFGO	OPT-256FFAN	OPT-256FFBL
3/4" Ball Valve	OPT-25634	OPT-25634GGO	OPT-25634AN	OPT-25634BL
1/2" 90° Ball Valve	OPT-259FF	OPT-259FFGO	OPT-259FFAN	OPT-259FFBL
3/4" 90° Ball Valve	OPT-35690	OPT-35690GO	OPT-35690AN	OPT-35690BL



Size	3/8" Hose (1/2" Fittings)	1/2" Hose (1/2" Fittings)	3/4" Hose (3/4" Fittings)
12"	OPT-245	OPT-238	N/A
18"	OPT-246	OPT-239	N/A
24"	OPT-247	OPT-240	N/A
36"	OPT-248	OPT-241	OPT-248HC
48"	OPT-249	OPT-242	N/A



Turn Keys

Size	Part No.
4" Key	OPT-RKV
8" Key	OPT-RKV8
11" Key	OPT-RKV11
16" Key	OPT-RKV16
22" Key	OPT-RKV22



Gas Fittings

High Quality Kits for your Fire Pit Project



Flared Male to Male

Part No.	Description
OPT-23B	3/8" Flared Male x 1/2" Male
OPT-232	1/2" Flared Male x 1/2" Male
OPT-23234	3/4" Flared Male x 3/4" Male



90° Male to Female

Part No.	Description
OPT-903812	90° 3/8" Male x 1/2" Female



90° Male to Female

Part No.	Description
OPT-903812	90° 3/8" Male x 1/2" Female



Flared Male to Female

Part No.	Description
OPT-23CC	3/8" Flared Male x 1/2" Female
OPT-231	1/2" Flared Male x 1/2" Female
OPT-23134	3/4" Flared Male x 3/4" Female



Coupling

Part No.	Description
OPT-SSNC	1/2" Coupling
OPT-SSNC34	3/4" Coupling



Bell Fitting

Part No.	Description
OPT-SS2TO3	3/4" To 1/2" Bell Fitting



1/2" LP Air Mixer

Part No.	Description
OPT-232A	1/2" Liquid Propane Air Mix



90° Elbow

Part No.	Description
OPT-SSN90	1/2" 90° Elbow
OPT-SSN9034	3/4" 90° Elbow



Nipple

Part No.	Description
OPT-SSN	1/2" Closed Nipple
OPT-SSN3	1/2" 3" Long Nipple
OPT-SSN6	1/2" 6" Long Nipple
OPT-SSN34	3/4" Closed Nipple
OPT-SSN334	3/4" 3" Long Nipple
OPT-SSN634	3/4" 6" Long Nipple



3/4" LP Air Mixer

Part No.	Description
OPT-232AHC	3/4" Liquid Propane Air Mix



T Joint

Part No.	Description
OPT-SSNT	1/2" T Joint
OPT-SSNT34	3/4" T Joint



NG Gas Orifice

Part No.	Description
OPT-NG012	1/2" Natural Gas Orifice
OPT-NG012HC	3/4" Natural Gas Orifice



Union

Part No.	Description
OPT-SSUN	1/2" Union
OPT-SSUN34	3/4" Union



Build Your Own Fire Pit with High Quality Components



Ask The Experts Strengthen your Knowledge

The Outdoor Plus has a in-house team of Fire & Water experts offering a wide range education for your next big project. The Outdoor Plus is the best route for professionals who are interested in High Quality Fire & Water Features that will last and take your client's breath away.

Made for Professionals by Professionals Strengthen your Knowledge

The Outdoor Plus utilizes the highest quality material in the industry. We offer High-Capacity ignition systems, future-proof burners, and streamline designs. Our robust construction makes our pans & burner durable and reliable. We also offer support for any situation. If you are on the Job Site, give us a call and one of our team members can assist you.



THE OUTDOOR PLUS

USA MANUFACTURER OF FIRE & WATER PRODUCTS



SCAN HERE
LEARN MORE